

July 12, 2006

Ms. Denise Pike Mount Clemens Brownfield Redevelopment Authority One Crocker Boulevard Mount Clemens, MI 48043

Atwell-Hicks, LLC Project Number: 300932.40

RE: Phase I ESA for the building and property located at 18 Welts Street, Mt. Clemens, Macomb County, Michigan (subject site)

Dear Ms. Pike:

Atwell-Hicks, LLC is pleased to submit its report on the Phase I Environmental Site Assessment conducted at the above referenced site.

The project objective was to perform a specified scope of research, evaluate the data, and render a professional opinion on environmental conditions at the site. The information and opinions included in this report are exclusively for the use of the Mt. Clemens Brownfield Redevelopment Authority.

We appreciate the opportunity to be of service to you on this project. Should you have any questions or desire further information, please contact us at (810) 225-6000.

Sincerely,

ATWELL-HICKS, LLC

Robert W. Lambdin Product Quality Leader

Robert W. Jamban



Phase I Environmental Site Assessment

for the

18 Welts Street Mount Clemens, MI 48043

Prepared For:

Mount Clemens Brownfield Redevelopment Authority One Crocker Boulevard Mount Clemens, MI 48043

Atwell-Hicks, LLC Project No. 300932.40

July 12, 2006

Table of Contents


Detail Report	. 1
1.0 General Information	.2
2.0 Executive Summary	. 2
2.1 General Site Setting	. 2
Current Use of Property	. 2
2.2 Findings and Conclusions	. 2
Database/Records Review	2
Historical/Document Review	.3
Site Reconnaissance Findings	.3
Other Environmental Considerations	.4
2.3 Recommendations	.4
Recommended Actions	. 4
Suggested Actions to Address Business Environmental Risk	5
2.4 Disclaimer	
3.0 Introduction	.5
3.1 Purpose	5
3.2 Scope of Work	.5
3.3 Significant Assumptions	.6
3.4 Limitations and Exceptions	6
3.5 Deviations From the ASTM Standard	7
3.6 Special Terms and Conditions	7
3.7 Reliance	7
4.0 Site Description	. 7
4.1 Location and Legal Description	.7
4.2 Site and Vicinity Description	. 7
4.3 Current Use of Property	.7
4.4 Description of Structures and Other Improvements	. 7
4.5 Adjoining Property Information	8
5.0 User Provided Information	. 8
5.1 Title Records	. 8
5.2 Environmental Liens and Activity/Use Limitations	.9
5.3 Specialized Knowledge	.9
5.4 Valuation Reduction for Environmental Issues	.9
5.5 Owner, Property Manager, and Occupant Information	.9
5.6 Reason For Performing Phase I	. 9
6.0 Records Review	.9
6.1 Standard Environmental Records Sources	
6.2 Additional Environmental Record Sources	13

Table of Contents

6.3 Physical Setting Sources.	14
6.4 Historical Use Information	15
6.4.1 Historical Summary	15
6.4.2 City Directories.	15
6.4.3 Aerial Photos	17
6.4.4 Sanborn/Historical Maps	17
6.4.5 Other Environmental Reports	19
7.0 Site Reconnaissance	19
7.1 Methodology and Limiting Conditions	19
7.2 General Site Setting	19
7.3 Site Visit Findings	19
7.3.1 Hazardous Substances	19
7.3.2 Petroleum Products	20
7.3.3 USTs	20
7.3.4 ASTs	20
7.3.5 Other Suspect Containers	20
7.3.6 Equipment Likely to Contain PCBs	20
7.3.7 Interior Staining/Corrosion	20
7.3.8 Discharge Features	20
7.3.9 Pits, Ponds, And Lagoons	21
7.3.10 Solid Waste Dumping/Landfills	21
7.3.11 Stained Soil/Stressed Vegetation	21
7.3.12 Wells	21
8.0 Interviews	21
9.0 Other Environmental Considerations	21
9.1 Asbestos-Containing Materials	21
9.2 Lead-Based Paint	21
9.3 Radon	21
9.4 Wetlands	21
9.5 Microbial Contamination (Mold)	22
9.6 Items of Non-Compliance	22
9.7 Client-Specific Items	22

Table of Contents

Appendices	
Appendix A: References	
Appendix B: Qualifications	
Appendix C: Figures	30
Appendix D: Photographs	33
Appendix E: Historical Research Documentation	41
Appendix F: Regulatory Records Documentation	73
Appendix G: Interviews	144
Appendix H: Miscellaneous Information	146



1.0 General Information

Client Information:

Mount Clemens Brownfield Redevelopment Authority

Ms. Denise Pike

One Crocker Boulevard

Mount Clemens, MI 48043

Project Information:

18 Welts Street 300932.40

Site Information:

18 Welts Street

Mount Clemens, MI 48043

County: Macomb

<u>Latitude, Longitude:</u> 42.601892, -82.876157

Site Access Contact: Ms. Denise Pike

Consultant Information:

Atwell-Hicks, LLC 7927 Nemco Way Brighton, MI 48116

Phone: 810-225-6000 810-225-9600

E-mail Address:

Inspection Date: 03/31/2006 **Report Date:** 05/17/2006

Site Assessor: Mr. David Huey - Environmental

Specialist

Senior Reviewer: Robert W. Lambdin - Product

Quality Leader

Signed By:

Robert W. Lambdin, Product

Quality Leader

During the site visit, Atwell observed the subject site to consist of 0.39-acres of developed land containing one building. The property is currently occupied by an automobile sales facility.

2.0 Executive Summary

2.1 General Site Setting

Current Use of Property

The subject site consists of one (6,750-square feet) commercial building located on the northern-most portion of the subject site. The remaining portions of the subject site consist of driveways, sidewalks, and asphalt-paved parking areas. The subject building occupies approximately 50-percent of the property.

2.2 Findings and Conclusions

Database/Records Review

Atwell retained Environmental Data Resources (EDR) of Milford, Connecticut, to review federal and state records related to the subject site and nearby properties within the ASTM search radius (as seen on the table below). However, Atwell typically reviews local, state, or federal database records of those sites of known environmental contamination (i.e., SHWS, LUST, CERCLIS, and NPL sites) within a one-quarter mile radius of the subject site. Atwell considers sites within this specified search radius as having the potential to impact the subject site. Also, Atwell typically reviews local, state, or federal database records of those sites of suspected environmental contamination (i.e., UST and RCRA generator sites), which adjoin the subject site, or, in the professional opinion of Atwell, are of such nature and proximity to the subject site to represent Recognized Environmental Conditions (RECs).

The EDR report identified six Resource Conservation Recovery Act-Small Quantity Generators (RCRA-SQG) of hazardous waste sites; five underground storage tank (UST) sites; one leaking underground storage tank (LUST) site, and one drycleaner site located within one-quarter mile of the

2.0 Executive Summary (continued)

2.2 Findings and Conclusions (continued)

Database/Records Review (continued)

subject site. Based upon information in the EDR report, and available reports on nearby sites of known or suspect contamination, Atwell determined that none of the sites listed in the EDR report are likely to represent an environmental concern to the subject site.

The EDR report also identified thirty-two sites on the Orphan Summary. Upon further review, Atwell determined that four of the sites were within one-quarter mile of the subject site. These sites included the Fire Stone Building LUST site (100 Northbound Gratiot, southwest of subject site); the Mitchell Buick, Inc. LUST site (143 Northbound Gratiot, east-northeast of subject site); the Park & Gratiot Marathon LUST/UST site (186 Northbound Gratiot, north-northeast of subject site); and the Schneiders Cleaners LUST/UST site (196 Northbound Gratiot, north-northeast of subject site). According to a review of the MDEQ Leaking Underground Storage Tank database, the release incidents at the Fire Stone Building and the Park & Gratiot Marathon LUST sites have been closed. However, the releases at the Mitchell Buick and Schneiders Cleaners sites remain open. A review of local topography and information on nearby sites indicates an east-southeast groundwater flow direction, placing the Mitchell Buick and the Schneiders Cleaners sites hydraulically cross-gradient to the subject site. Based on this information, Atwell does not consider any of the nearby Orphan sites to represent an REC.

Historical/Document Review

Based on information gathered during the site investigation, review of aerial photographs, review of historical address indexes, and review of municipal records, Atwell concluded that the subject site was first developed for residential uses sometime prior to 1897. From the late 1890s through the 1950s, the subject site was occupied by residential tenants. Sometime between 1966 and 1991, the subject site transitioned into an automobile dealership. The subject site continued to operate as an automotive dealership until at least 1996, when it became an automotive collision repair shop. Currently, the subject site is an automobile dealership. A review of Sanborn Fire Insurance Maps indicated that an eastern adjacent property was a gasoline filling station during the 1930s, 1940s, and again in the 1970s. Atwell considers the potential for subsurface impact by spills or releases of petroleum products and hazardous materials located at the subject site, and related to the eastern gasoline filling station, to represent an REC.

Site Reconnaissance Findings

Atwell was not granted access to the subject site, thus, site reconnaissance was undertaken through street-side observation:

No hazardous substances were identified on the subject property during the site reconnaissance.

No petroleum products were identified on the subject property during the site reconnaissance.

Atwell evaluated the subject site for the possible presence of USTs. Typical indicators of USTs include: (1) gas pumps or pump islands; (2) vent pipes; (3) fill ports; or (4) unusual depressions. During the site reconnaissance, Atwell did not identify evidence of recognized environmental conditions in connection with the Subject Property.

No readily apparent evidence of ASTs was identified on the subject property during the site reconnaissance.

2.0 Executive Summary (continued)

2.2 Findings and Conclusions (continued)

Site Reconnaissance Findings (continued)

Atwell inspected the subject site for the presence of oil-cooled electrical equipment that may contain polychlorinated biphenyls (PCBs). Atwell did not observe any readily apparent evidence for suspect PCB-containing equipment located on the subject site

Atwell was not granted access to the interior portion of the subject site, and thus, did not observe any interior staining/corrosion located in the subject building during the site reconnaissance.

No discharge features (septic systems, floor drains, catch basins, oil/water separators, etc.) were observed on the subject property during the site reconnaissance.

No pits, ponds or lagoons were observed on the subject property during the site reconnaissance.

No readily apparent evidence of solid waste dumping (i.e., unusual mounding, debris piles, or depressions), suspect fill material, or landfilling was identified on the subject property during the site reconnaissance.

No stained soil or stressed vegetation was observed on the subject property during the site reconnaissance.

Atwell observed no evidence of groundwater monitoring wells on the subject site.

Other Environmental Considerations

The scope of services for this Phase I ESA did not include the following: an inspection or sampling of suspect asbestos-containing materials; an evaluation for lead-based paint or the presence of radon; an evaluation for suspect wetland vegetation; a mold evaluation; an evaluation of items of non-compliance; or any client-specific items.

2.3 Recommendations

Recommended Actions

Atwell has performed this Phase I Environmental Site Assessment in general conformance with the scope and limitations of ASTM Practice E1527-00 specifications for the buildings and property located at 12 Market Street, Mount Clemens, Michigan.

During the course of this Phase I investigation, Atwell identified the following REC associated with the subject site:

• A review of city address indexes and Sanborn Fire Insurance Maps identified the subject site as an automobile sales and collision repair shop. Atwell considers the use of the site as an automobile repair facility with the material threat of subsurface impact by spills or releases petroleum products and hazardous materials located at the subject site to represent an REC.

Therefore, Atwell recommends that a Phase II Subsurface Investigation be conducted to determine the nature, extent and materiality of the identified REC.

2.0 Executive Summary (continued)

2.3 Recommendations (continued)

Suggested Actions to Address Business Environmental Risk

The scope of services for this Phase I ESA did not include providing sugggested actions to address business environmental risk.

2.4 Disclaimer

This report was prepared solely for the Mount Clemens Brownfield Redevelopment Authority's benefit and no other party or entity shall have any claim against Atwell due to the performance or nonperformance of the services presented herein. Only the Mount Clemens Brownfield Redevelopment Authority may rely upon this report for the sole purpose of obtaining financing, obtaining refinancing, acquisition of the subject site, lease of the subject site, or sale of the subject site. Any other parties seeking reliance upon this report must obtain Atwell's prior written approval for such reliance. Atwell specifically disclaims any and all claims by parties claiming as a third party beneficiary.

3.0 Introduction

3.1 Purpose

Atwell conducted the Phase I Environmental Site Assessment (ESA) in order to provide an independent, professional opinion of the possible presence of Recognized Environmental Conditions (RECs) or other possible environmental concerns (if any) associated with the subject site as part of environmental due diligence. As defined in American Society for Testing and Materials (ASTM) Designation: E 1527-00, the term Recognized Environmental Conditions means "...the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property".

Performance of the Phase I ESA was intended to reduce, but not eliminate, uncertainty regarding the existence of Recognized Environmental Conditions in connection with the subject site.

3.2 Scope of Work

Atwell performed the Phase I ESA while using standards typically adhered to by other environmental consulting professionals. Atwell adheres to such professional standards in an effort to maintain innocent landowner defense options for purchasers, sellers and/or lenders under guidelines set forth in the Federal Superfund Amendments and Reauthorization Act (SARA). The Phase I ESA was performed to meet the standard of appropriate inquiry necessary to qualify for the innocent landowner defense.

The Phase I ESA was conducted in general conformance with the ASTM Designation: E 1527-00, Standard Practice For Conducting Environmental Site Assessments. The Mount Clemens Brownfield Redevelopment Authority may rely upon the contents and conclusions of this report.

This Phase I ESA was performed to evaluate environmental risk and does not include any investigation involving business environmental risks.

The Scope of Work for the Phase I ESA included:

3.0 Introduction (continued)

- 3.2 Scope of Work (continued)
 - · A visual inspection of the subject site on March 31, 2006, and all improvements thereon to evaluate general environmental conditions;
 - Establishing the present and past land uses at and adjacent to the site through the review of: (1) historical aerial photographs; (2) city directories; (3) the local topographic map; (4) local Assessment/Building Department/Tax records; (5) historical Sanborn Fire Insurance Maps, if available; (6) the local Fire Department, and (7) interviews with individuals knowledgeable about the site, when available;
 - · A review and evaluation of the following databases of federal, state, and local known or suspected sites of environmental contamination within the applicable ASTM recommended distance from the subject site: (1) The USEPA's National Priority List (NPL) records; (2) The USEPA's Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) list of known or suspected hazardous waste sites; (3) The USEPA's CERCLIS-NFRAP list of known or suspected hazardous waste sites; (4) The USEPA's Resource Conservation Recovery Information System (RCRIS) CORRACTS list for facilities that produce small quantities, large quantities, or transport, store, or dispose of hazardous materials that are subject to corrective action under RCRA; (5) The USEPA's RCRIS Non-CORRACTS Notifier list for facilities that produce small quantities, large quantities, or transport, store, or dispose of hazardous materials; (6) The USEPA's Emergency Response Notification System (ERNS) list for reported releases of oil and hazardous substances; (7) The State of Michigan Part 201 (former Act 307) prioritized listing of known sites of environmental contamination; (8) The State of Michigan Act 641 and 64 (formerly Act 87) listing of currently and formerly licensed landfill and disposal facilities; (9) Michigan Department of Environmental Quality (MDEQ) Leaking Underground Storage Tank (LUST) list; (10) MDEQ's listing of Registered Underground Storage Tanks (UST), and (11) Baseline Environmental Assessments (BEA), and
 - · Atwell has also provided a list of references used to complete the project (Appendix A).

The Phase I ESA was conducted between the period of March 27, 2006 and June 30, 2006.

This Phase I ESA was completed by Mr. David Huey, Environmental Specialist of Atwell, under the supervision of Mr. Louis Stultz, Project Manager. Personnel resumes are included in Appendix B.

3.3 Significant Assumptions

During the course of this Phase I ESA, no significant assumptions were made.

3.4 Limitations and Exceptions

Atwell has concluded that aerial photograph data failure occurred prior to 1972. In addition, Atwell personnel were not granted access to the subject site property. Consequently, only a visual site inspection was performed from public properties adjoining the subject site. In addition, only the south adjacent property was available on the city directory from EDR. These gaps, conditions or absences of information represent data failure in records pertaining to the subject site.

The information obtained from external sources, to the extent it was relied upon to form our opinion about the environmental status of the site, was assumed to be complete and correct. Atwell cannot be responsible for the quality and content of information from these sources.

3.0 Introduction (continued)

3.5 Deviations From the ASTM Standard

No deviations from the recommended scope of ASTM Standard E 1527-00 were performed as part of this Phase I ESA with the exception of any additions noted in Detailed Scope of Services or any additional items addressed in Section 9.0 (Other Environmental Considerations).

3.6 Special Terms and Conditions

Authorization to perform this assessment was given by the client on March 23, 2006. Instructions as to the location of the property, access, and an explanation of the property and facilities to be assessed were provided by Ms. Denise Pike of the Mount Clemens Brownfield Redevelopment Authority.

3.7 Reliance

Atwell certifies that, as of the date of the report, the information and opinions included in this Phase I ESA may be used and relied upon by the Mount Clemens Brownfield Redevelopment Authority.

4.0 Site Description

4.1 Location and Legal Description

The subject site is located in the Private Claim, Tract 141, Township 2 North, Range 13 East, Mount Clemens, Macomb County, Michigan. A legal description (Parcel Number 05-11-11-477-007) for the subject site is presented in Appendix H. The location of the subject site is presented on the Site Location Map in Figure 1 (Appendix C).

4.2 Site and Vicinity Description

During the site reconnaissance, Atwell observed the subject site to be comprised of 0.39-acres of developed land located at 18 Welts Street, Mount Clemens, Michigan. The subject site consists of one commercial building with associated concrete and asphalt-paved parking areas and sidewalks. The area surrounding the site is primarily commercial.

4.3 Current Use of Property

The subject site consists of one (6,750 square-feet) commercial building located on the northern-most portion of the subject site. The remaining portions of the subject site consist of driveways, sidewalks, and asphalt-paved parking areas. The subject building occupies approximately 50 percent of the property. The subject site is currently utilized as an automobile sales facility.

4.4 Description of Structures and Other Improvements

With the exception of the subject building and public utilities, no other improvements are located on the subject site. Refer to Section 6.2 for further information.

4.0 Site Description (continued)

4.4 Description of Structures and Other Improvements (continued)

Building Name	Building Use	# of Stories	Footprint (sq. ft)	Heat Source
Subject building	Auto sales	Two	6,750	Natural gas
General Constructi	on			
The building is cons	tructed with concrete	block walls and a flat	t metal deck roof, as o	observed from public
property.				•

4.5 Adjoining Property Information

Direction From Site	Shared Border?	Across What?	Current Use
North	Yes	N/A	Commercial
Occupant(s) Name	Address		
non responsive			
Potential Environmenta	Concerns		
No potential environment	al concerns were observed	d.	

Direction From Site	Shared Border?	Across What?	Current Use
South	No	Welts Street	Commercial
Occupant(s) Name	Address		
non responsive			
Potential Environmenta	al Concerns		
No potential environmen	tal concerns were obser	ved.	

Direction From Site	Shared Border?	Across What?	Current Use
West	No	Welts Street	Residential
Occupant(s) Name	Address		
Unknown	Several residential properties situated along Welts Street		
Potential Environmental Concerns			
No potential environmental concerns were observed.			

Direction From Site	Shared Border?	Across What?	Current Use
East	Yes	N/A	Commercial
Occupant(s) Name	Address		
Chichowh	non responsive		
Potential Environmental	Concerns		
No potential environmenta	al concerns were observed.		

5.0 User Provided Information

5.1 Title Records

No title records were provided by the user/client. Please refer to the Records Review section for current and historical ownership/use of the subject property.

5.0 User Provided Information (continued)

5.2 Environmental Liens and Activity/Use Limitations

No environmental liens or activity/use restrictions in connection with the subject property were identified by the user/client.

5.3 Specialized Knowledge

No specialized knowledge in connection with the subject property or facility operations was identified by the user/client.

5.4 Valuation Reduction for Environmental Issues

No environmental issues were identified by the user/client that could result in property value reduction.

5.5 Owner, Property Manager, and Occupant Information

No other pertinent information in connection with the subject property was provided by the owner, the property manager or the occupant.

5.6 Reason For Performing Phase I

The Phase I ESA is being conducted for the Mount Clemens Brownfield Redevelopment Authority as part of environmental due diligence prior to property transfer or refinancing. The User Provided Information questionnaire is included in Appendix H.

6.0 Records Review

6.1 Standard Environmental Records Sources

Atwell retained Environmental Data Resources (EDR) of Milford, Connecticut, to review federal and state records related to the subject site and nearby properties within the ASTM search radius (as seen on the table below). However, Atwell typically reviews local, state, or federal database records of those sites of known environmental contamination (i.e., SHWS, LUST, CERCLIS, and NPL sites) within a one-quarter mile radius of the subject site. Atwell considers sites within this specified search radius as having the potential to impact the subject site. Also, Atwell typically reviews local, state, or federal database records of those sites of suspected environmental contamination (i.e., UST and RCRA generator sites), which adjoin the subject site, or, in the professional opinion of Atwell, are of such nature and proximity to the subject site to represent Recognized Environmental Conditions (RECs).

The EDR report identified six Resource Conservation Recovery Act-Small Quantity Generators (RCRA-SQG) of hazardous waste sites; five underground storage tank (UST) sites; one leaking underground storage tank (LUST) site, and one drycleaner site located within one-quarter mile of the subject site. Based upon information in the EDR report, and available reports on nearby sites of known or suspect contamination, Atwell determined that none of the sites listed in the EDR report are likely to represent an environmental concern to the subject site.

The EDR report also identified thirty-two sites on the Orphan Summary. Upon further review, Atwell determined that four of the sites were within one-quarter mile of the subject site. These sites included the Fire Stone Building LUST site (100 Northbound Gratiot, southwest of subject site); the Mitchell Buick, Inc. LUST site (143 Northbound Gratiot, east-northeast of subject site); the Park & Gratiot Marathon LUST/UST site (186 Northbound Gratiot, north-northeast of subject site); and the Schneiders

6.0 Records Review (continued)

6.1 Standard Environmental Records Sources (continued)

Cleaners LUST/UST site (196 Northbound Gratiot, north-northeast of subject site). According to a review of the MDEQ Leaking Underground Storage Tank database, the release incidents at the Fire Stone Building and the Park & Gratiot Marathon LUST sites have been closed. However, the releases at the Mitchell Buick and Schneiders Cleaners sites remain open. A review of local topography and information on nearby sites indicates an east-southeast groundwater flow direction, placing the Mitchell Buick and the Schneiders Cleaners sites hydraulically cross-gradient to the subject site. Based on this information, Atwell does not consider any of the nearby Orphan sites to represent an REC.

	<u>Target</u> Property	<u>Adjacent</u> Property	# of Other Sites
Federal NPL Site (< 1 mile)	N	N	0
Federal CERCLIS Sites (< 0.5 mile)	N	N	0
Federal CERCLIS NFRAP Sites (Prop.	N	N	N/A
<u>& Adjoining)</u>			
RCRA CORRACTS Sites (< 1 mile)	N	N	1
RCRA TSD Facilities (< 0.5 mile)	N	N	0
RCRA SQG (Property & Adjoining)	N	Y	N/A
RCRA LQG (Property & Adjoining)	N	N	N/A
Federal ERNS Sites (Target Property	N	N/A	N/A
Only)			
State HW Sites (< 1 mile)	N	N	1
State CERCLIS Sites (< 0.5 mile)	N	N	0
Landfill/SW Disposal Sites (< 0.5 mile)	N	N	0
LUST Sites (< 0.5 mile)	N	N	5
UST/AST Sites (Property & Adjoining)	N	N	N/A

DATABASE PROVIDER COMMENTS

<u>Site Name:</u> KINZERS COLLISION FINDS, RCRIS-SQG

Address: 9 WELTS

Distance: 0.022

Direction: SE

Elevation: Same

Comments: The EDR report identified this site as a RCRA-SQG of hazardous waste with no

reported violations. Since there are no reported violations as a RCRA-SQG, it is unlikely The Kinzers Collision site has environmentally impacted the subject site and

does not represent an REC.

Site Name: MITCHELL BUICK HONDA SVC

Databases: UST, FINDS, RCRIS-SQG

Address: 143 N GRATIOT

Distance: 0.035 **Direction:** SSW **Elevation:** Same

Comments: The EDR report identified the Mitchell Buick Honda Service site as a RCRA-SQG of

hazardous waste site with no reported violations, and a UST site. Lacking any reported UST release or hazardous waste violations; Atwell does not consider the Mitchell

Buick Honda site to represent an REC at this time.

6.0 Records Review (continued)

6.1 Standard Environmental Records Sources (continued)

DATABASE PROVIDER COMMENTS continued

Site Name: MITCHELL BUICK INC Patabases: Address: MITCHELL BUICK INC RCRIS-SQG, FINDS 165 N GRATIOT

Distance: 0.054 **Direction:** ENE **Elevation:** Same

Comments: The EDR report identified this site as a RCRA-SQG of hazardous waste with no

reported violations. Since there are no reported violations as a RCRA-SQG, it is unlikely that this site has environmentally impacted the subject site and does not

represent an REC.

Site Name: SPEARS CLEANERS

Databases: UST

Address: 178 N GRATIOT

Distance: 0.1 **Direction:** NE **Elevation:** Same

Comments: The EDR report identified this site as a UST site. According to EDR, one,

1,000-gallon, GS 140 solvent UST was removed form the ground in 1990. Lacking any evidence of a release, Atwell does not consider the Spears Cleaners site to represent an

REC at this time.

Site Name: 143 NORTH MAIN LLC

Databases: BEA

Address: 143 NORTH MAIN STREET

Distance: 0.11 **Direction:** South **Elevation:** Same

Comments: The EDR report identified the 143 North Main Street site as having had two Category

N BEAs submitted in 2000 and 2005 with no request for determination. A review of local topography and information on nearby sites indicates an east-southeast groundwater flow direction, placing the Mitchell Buick site hydraulically cross-gradient to the subject site. Based on this information, Atwell does not consider the known subsurface impact at the 143 North Main LLC site to represent an REC.

Site Name: 180 NORTH MAIN BUILDING (FORMER)

Databases: UST

Address: 120 N MAIN

Distance: 0.134 **Direction:** South **Elevation:** Same

Comments: The EDR report identified the 180 North Main Building site located at 120 North Main

Street as a UST site. According to EDR, a 2,000-gallon (unknown contents) UST was removed from the ground in 2004. Lacking any evidence of a release, Atwell does not

consider the 180 North Main Building site to represent an REC.

6.0 Records Review (continued)

6.1 Standard Environmental Records Sources (continued)

DATABASE PROVIDER COMMENTS continued

Site Name: MITCHELL BUICK-HONDA SALES INC

Databases: UST

Address: 165 NORTHBOUND GRATIOT AVE

Distance: 0.169 **Direction:** NNE **Elevation:** Same

Comments: The EDR report identified this site as a UST site. According to EDR, one

(2,000-gallon, gasoline) UST was removed from the ground in 1990. Lacking any evidence of a release, Atwell does not consider the Mitchell Buick-Honda Sales, Inc.

site to represent an REC at this time.

Site Name: SPEARS CLEANERS DRYCLEANERS

Address: 178 NORTHBOUND GRATIOT

Distance: 0.196 **Direction:** NNE **Elevation:** Same

Comments: The EDR report identified this site as a drycleaner site. Lacking any evidence of

contamination, Atwell does not consider the Spears Cleaners site to represent an REC

at this time.

Site Name: ST. PETER CHURCH

Databases: UST

Address: 98 NEW ST

Distance: 0.197

Direction: WSW

Elevation: High

Comments: The EDR report identified this site as a UST site. According to EDR, a 2,000-gallon

(gasoline) UST was removed from the ground in 1990. Lacking any evidence of a release, Atwell does not consider the Saint Peter Church site to represent an REC at

this time.

Site Name: BOB DEVELOPMENT CO

Databases: LUST

Address: 102 NORTH AVE

Distance: 0.219 **Direction:** West **Elevation:** High

Comments: The EDR report identified this site as a LUST site and AUL site with engineering or

institutional controls in place. According to EDR, a release (C-0246-01) was reported in April 2001 and closed later that same year. Since this release has been closed by the MDEQ, Atwell does not consider the Bob Development Company site to represent an

REC at this time.

6.0 Records Review (continued)

6.1 Standard Environmental Records Sources (continued)

DATABASE PROVIDER COMMENTS continued

Site Name: KRAUSENECK H P DDS PC

Databases: FINDS, RCRIS-SQG 53 NORTH AVE

Distance: 0.219 **Direction:** West **Elevation:** High

Comments: The EDR report identified this site as a RCRA-SQG of hazardous waste with no

reported violations. Since there are no reported violations as a RCRA-SQG, it is unlikely that this site has environmentally impacted the subject site and does not

represent an REC.

Site Name: KNIGHT ENTERPRISES INC K14

<u>Databases:</u> FINDS, RCRIS-SQG Address: 1160 S GRATIOT

Distance: 0.222 **Direction:** NNE **Elevation:** Same

Comments: The EDR report identified this site as a RCRA-SOG of hazardous waste with no

reported violations. Since this site has had no reported violations as a RCRA-SQG, it is unlikely that this site has environmentally impacted the subject site and does not

represent an REC.

Site Name: MT CLEMENS DODGE INC

<u>Databases:</u> RCRIS-SQG, FINDS 253 N GRATIOT

Distance: 0.239 **Direction:** NNE **Elevation:** Same

Comments: The EDR report identified this site as RCRA-SQG of hazardous waste with two

reported violations. According to EDR, this site received two written informal violations in April 1996, and has been in compliance since July 1996, Atwell does not

consider the Mount Clemens Dodge site to represent an REC

6.2 Additional Environmental Record Sources

Atwell reviewed current and historical files maintained by the Mount Clemens offices for the subject site. The review of municipal records was conducted in order to identify possible environmental concerns (e.g., suspect building materials, USTs, ASTs, etc.) associated with the subject site. Assessing Department records indicate that the subject site building is 6,750- square feet, and no records of environmental concern were identified.

Atwell contacted the Mount Clemens municipal offices to determine the zoning specifications for the subject site. The subject property is currently zoned GC, General Commercial.

Atwell contacted the City of Mount Clemens Fire Department for information regarding current or former USTs or ASTs at the subject site, as well as, any hazardous material storage or spill response records. Fire department records did not identify any items indicative of environmental concern for the subject site.

6.0 Records Review (continued)

6.2 Additional Environmental Record Sources (continued)

The subject site is currently connected to municipal water and sanitary sewer through the City of Mount Clemens. Electric service is provided by DTE Energy and natural gas is provided by Consumers Energy.

The Macomb County Environmental Health Department (MCEHD) maintains environmental files for sites throughout Macomb County. The files contain field inspection reports from city inspectors, reported environmental problems, results of right-to-know programs and other miscellaneous data. Atwell submitted a freedom of information act (FOIA) request to the MCEHD; however, no records exist for the subject site address.

6.3 Physical Setting Sources

Atwell reviewed the United States Geological Survey (USGS) 7.5 Minute Topographic Map of the subject site and surrounding area. The topographic map reviewed was the Mount Clemens, West, Michigan Quadrangle. Surface drainage at the subject site appears to be generally to the east-southeast, towards the Clinton River. According to the Environmental Data Resources (EDR), Physical Setting Source Summary, no groundwater flow direction data has been reported within one mile of the subject site. Unless otherwise noted, the surface drainage flow direction has been inferred from a review of regional topographical data. Site-specific conditions may vary due to a variety of factors, including geologic anomalies, utilities, nearby pumping wells (if present), and other developments.

USGS Topographic Maps

Date:	1968 (photorevised in 1973 and 1980)
Quad ID:	Mount Clemens West, Michigan
Ft. Above MSL:	608
Latitude:	42.601892
Longitude:	-82.876157
Anticipated GW F	
Distance to SW Bo	odies: 1,300 feet
Site Land Use:	
Commercial	
Adjoining Propert	ies Land Use:
Commercial	

Soil Conservation Service Soil Map

Date: 1971

Source: Soil Survey of Macomb County, Michigan

Soil Description: Soils of the subject site are composed of Bount loam (0 to 2 percent slopes).

Blount loam soils consist of nearly level to gently sloping, poorly drained soils that form on till plains and glacial moraines. These soils are naturally fertile with moderately slow permeability, high available moisture capacity, and slow to medium runoff. Blount soils are mostly used for crops and pastures when the seasonally high water table issues are addressed.

6.0 Records Review (continued)

6.4 Historical Use Information

6.4.1 Historical Summary

Based on information gathered during the site investigation, review of aerial photographs, review of historical address indexes, and review of municipal records, Atwell concluded that the subject site was first developed for residential uses sometime prior to 1897. From the late 1890s through the 1950s, the subject site was occupied by residential tenants. Sometime between 1966 and 1991, the subject site transitioned into an automobile dealership. The subject site continued to operate as an automotive dealership until at least 1996, when it became an automotive collision repair shop. Currently, the subject site is an automobile dealership. A review of Sanborn Fire Insurance Maps indicated that an eastern adjacent property was a gasoline filling station during the 1930s, 1940s, and again in the 1970s. Atwell considers the potential for subsurface impact by spills or releases of petroleum products and hazardous materials located at the subject site, and related to the eastern gasoline filling station, to represent an REC.

6.4.2 City Directories

Atwell retained EDR to conduct a review of historical cross-index directories on file for the subject site and immediately adjoining properties. Lester's and Bresser's Criss-Cross Directories compile historical addresses for sites located throughout southeastern Michigan. EDR reviewed the Lester's and Bresser's Macomb County area indexes in approximately five-year intervals for the time period between 1927 to 2006. During the review of historical address directories, Atwell identified occupants of environmental concern associated with the subject site. Kinzer's Collision was listed as an occupant of the subject site from 2001 to 2006. Atwell considers the historical use of the subject site as an automobile repair shop to represent an REC to the subject site. The EDR City Directory Abstract is included in Appendix E.

The following is a listing of the specific directories utilized and the occupants located at and adjacent to the subject site:

Information Source: Lester's City Directory

Date(s): 1927

Site: 18 Welts Street - Residence

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Lester's City Directory

Date(s): 1930

Site: 18 Welts Street - The DeSteiger Music Company

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Lester's City Directory

Date(s): 1935

Site: 18 Welts Street - Residence

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Lester's City Directory

Date(s): 1939 - 1944

Site: 18 Welts Street - Apartments

<u>Adjoining:</u> South - 9 Welts Street - Address not listed research source

6.0 Records Review (continued)

6.4 Historical Use Information (continued)

6.4.2 City Directories (continued)

Information Source: Lester's City Directory

Date(s): 1949

Site: 18 Welts Street - Residence

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Lester's City Directory

Date(s): 1955

Site: 18 Welts Street - Apartments

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Lester's City Directory

Date(s): 1966

Site: 18 Welts Street - Address not listed research source

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Bresser's Criss-Cross

Directory

Date(s): 1972

<u>Site:</u> 18 Welts Street - Address not listed research source <u>Adjoining:</u> South - 9 Welts Street - Station Service and Equipment

Information Source: Bresser's Criss-Cross

Directory

Date(s): 1976

Site: 18 Welts Street - Address not listed research source

Adjoining: South - 9 Welts Street - Address not listed research source

Information Source: Bresser's Criss-Cross

Directory

Date(s): 1981 - 1986

Site: 18 Welts Street - Address not listed research source

Adjoining: South - 9 Welts Street - Kinzer's Collision

Information Source: Bresser's Criss-Cross

Directory

Date(s): 1991

Site: 18 Welts Street - Mitchell Buick Sales South - 9 Welts Street - Kinzer's Collision

Information Source: Bresser's Criss-Cross

Directory

Date(s): 1996

Site: 18 Welts Street - Address not listed research source

Adjoining: South - 9 Welts Street - Kinzer's Collision

6.0 Records Review (continued)

6.4 Historical Use Information (continued)

6.4.2 City Directories (continued)

Information Source: Bresser's Criss-Cross

Directory

<u>Date(s):</u> 2001 Site: 18 W

18 Welts Street - Kinzer's Collision

Adjoining: South - 9 Welts Street - Kinzer's Collision

Information Source: Bresser's Criss-Cross

Directory

Date(s): 2006

Site: 18 Welts Street - All American Auto Sales South - 9 Welts Street - Kinzer's Collision

6.4.3 Aerial Photos

Atwell reviewed aerial photographs for the years 1972, 1980, 1990, 2000, and 2004 on file with the Macomb County's Department of Planning & Economic Development. Copies of the aerial photographs are included in Appendix E.

No evidence of landfilling activities, waste dumping, unexplained excavation, or hazardous material storage activities were observed during the review of historical aerial photographs. The aerial photograph review is as follows.

In the 1972 aerial photograph, the subject site is depicted with a large commercial building situated on the current subject building location. The north, south, and east adjacent properties are depicted with commercial buildings while the west adjacent property is depicted with residential dwellings.

In the 1980 aerial photograph, the subject site and north, south, and east adjacent properties appear with no significant changes from the previous aerial photograph. The west adjacent residential dwellings appear to have been removed with the expansion of Southbound Gratiot Avenue.

In the 1990, 2000, and 2004 aerial photographs, the subject site and adjacent properties are depicted with no significant changes from the 1980 aerial photograph.

6.4.4 Sanborn/Historical Maps

Atwell submitted a request to EDR for copies of available Sanborn Fire Insurance Maps that cover the subject site and surrounding adjacent properties. These historical maps may provide information pertaining to adverse land uses and the presence and/or location of USTs. EDR concluded that Sanborn/Fire Insurance Maps for the years 1897, 1903, 1909, 1921, 1930, 1945, and 1967 were available for the subject site. During the review of Sanborn Maps, Atwell identified no occupants of environmental concern. The Sanborn Maps are included in Appendix E.

6.0 Records Review (continued)

6.4 Historical Use Information (continued)

6.4.4 Sanborn/Historical Maps (continued)

Information Source: The Sanborn Library, LLC

Date(s): 1897

Site: The subject site is depicted with residential and commercial buildings and several

outbuildings.

Adjoining: Each of the adjacent properties are depicted with commercial and residential buildings and

outbuildings.

Information Source: The Sanborn Library, LLC

Date(s): 1903

Site: The subject site appears unchanged from the previous map, with the exception of an

addition of several outbuildings on the central portion of the property and the word

"boarding" is visible on a subject building.

Adjoining: Each of the adjacent properties are depicted with no significant changes from the previous

map.

Information Source: The Sanborn Library, LLC

Date(s): 1909

Site: The subject site is depicted with no significant changes from the previous map.

Adjoining: Each of the adjacent properties are depicted with no significant changes from the previous

map.

Information Source: The Sanborn Library, LLC

Date(s): 1921

Site: The subject site is depicted as residential dwellings.

Adjoining: Each of the adjacent properties are depicted with no significant changes from the previous

map, with the exception of an underground storage tank on the adjacent property, along

Gratiot Avenue.

Information Source: The Sanborn Library, LLC

Date(s): 1930

Site: The subject site is depicted as residential dwellings.

Adjoining: Each of the adjacent properties are depicted with no significant changes from the previous

map, with the exception of a gas tank visible to the east of the subject site on Pine Street (alley). The underground storage tank visible along Gratiot Avenue is no longer visible.

Information Source: The Sanborn Library, LLC

Date(s): 1945

Site: The subject site is depicted with no significant changes from the previous map.

Adjoining: The east adjacent property is depicted as a gasoline filling station and automotive repair

facility with two gas tanks. All other adjacent properties are depicted with no significant

changes from the previous map.

Information Source: The Sanborn Library, LLC

Date(s): 1967

Site: The subject site is depicted with a building similar to the current subject building and all

other (former) buildings are depicted as removed.

Adjoining: The east adjacent gasoline filling station and gas tanks are depicted as having been

removed. Several buildings to the north of the subject site are shown as having been removed and a sketch of the future expansion of Gratiot Avenue is shown to the west of the

6.0 Records Review (continued)

6.4 Historical Use Information (continued)

6.4.4 Sanborn/Historical Maps (continued)

Adjoining: subject site. All other adjacent properties are depicted with no significant changes from the

previous map.

6.4.5 Other Environmental Reports

No previous environmental reports were made available to Atwell during the course of this Phase I ESA.

7.0 Site Reconnaissance

7.1 Methodology and Limiting Conditions

On March 31, 2006, David Huey, Environmental Specialist for Atwell, conducted a walking reconnaissance of the subject site. During site reconnaissance, Atwell did not have access to the subject site, thus, site reconnaissance was undertaken using street-side observation.

During the site reconnaissance, Atwell evaluated the subject site for the potential presence of the following Recognized Environmental Conditions: (1) evidence of surface soil/surface water staining and/or stressed vegetation; (2) evidence of excavation and/or landfilling activities; (3) evidence of the presence of aboveground storage tanks (ASTs) and/or underground storage tanks (USTs); (4) bulk storage of petroleum products or chemicals in drums or other containers; (5) polychlorinated biphenyl (PCB)-containing equipment; (6) evidence of current or former septic/leaching fields at the subject site, and (7) evidence of adverse environmental impacts associated with adjoining properties.

The weather condition at the time of the site reconnaissance was 65 degrees and sunny. The visual reconnaissance consisted of observing the boundaries of the property and systematically traversing the site to provide an overlapping field of view, wherever possible. The periphery of the on-site structure was observed along with interior accessible common areas, manufacturing, storage and maintenance areas. However, during site reconnaissance, Atwell did not have access to the subject site, thus, site reconnaissance was undertaken using street-side observation. Photographs of pertinent site features identified during the site reconnaissance are included in Appendix D.

7.2 General Site Setting

During the site reconnaissance, Atwell observed the subject site to be comprised of 0.39-acres of developed land located at 18 Welts Street, Mount Clemens, Michigan. The subject site consists of one commercial building with associated concrete and asphalt-paved parking areas and sidewalks. The area surrounding the site is primarily commercial. The Site Inspection Environmental Checklist is included in Appendix H.

7.3 Site Visit Findings

7.3.1 Hazardous Substances

No hazardous substances were identified on the subject property during the site reconnaissance.

7.0 Site Reconnaissance (continued)

7.3 Site Visit Findings (continued)

7.3.2 Petroleum Products

No petroleum products were identified on the subject property during the site reconnaissance.

7.3.3 USTs

Atwell evaluated the subject site for the possible presence of USTs. Typical indicators of USTs include: (1) gas pumps or pump islands; (2) vent pipes; (3) fill ports; or (4) unusual depressions. During the site reconnaissance, Atwell did not observe any readily apparent evidence of the current/former presence of USTs at the subject site.

The lack of visible evidence of any potential USTs and the fact that the individual and agencies identified in this report were not aware of or did not have record of the presence of any USTs does not preclude the possibility that other USTs could be present at the subject site property. Visible evidence of USTs, such as fill ports or vent pipes, may have been obscured from view and other USTs could have been used at the subject site property without the knowledge of the current owner/operator, site contact or government agency.

7.3.4 ASTs

No readily apparent evidence of ASTs was identified on the subject property during the site reconnaissance.

7.3.5 Other Suspect Containers

During the site reconnaissance, Atwell did not have access to the subject site, thus, site reconnaissance was conducted using street-side observation. As such, no other suspect containers were identified on the subject property during the site reconnaissance.

7.3.6 Equipment Likely to Contain PCBs

During the site reconnaissance, Atwell did not have access to the subject site, thus, site reconnaissance was conducted using street-side observation. As such, Atwell did not observe any readily apparent evidence for suspect PCB-containing equipment located on the subject site.

7.3.7 Interior Staining/Corrosion

Atwell was not granted access to interior portions of the subject building, and thus, did not observe any interior staining/corrosion located in the subject building during the site reconnaissance.

7.3.8 Discharge Features

No discharge features (septic systems, floor drains, catch basins, oil/water separators, etc.) were observed on the subject property during the site reconnaissance.

7.0 Site Reconnaissance (continued)

7.3 Site Visit Findings (continued)

7.3.9 Pits, Ponds, And Lagoons

No pits, ponds or lagoons were observed on the subject property during the site reconnaissance.

7.3.10 Solid Waste Dumping/Landfills

No readily apparent evidence of solid waste dumping (i.e., unusual mounding, debris piles, or depressions), suspect fill material, or landfilling was identified on the subject property during the site reconnaissance.

7.3.11 Stained Soil/Stressed Vegetation

No stained soil or stressed vegetation was observed on the subject property during the site reconnaissance.

7.3.12 Wells

No evidence of water supply or groundwater monitoring wells was observed on the subject property during the site reconnaissance.

8.0 Interviews

With the exception of previously mentioned interviews and/or information received from the Client and/or municipal offices, no other interviews were conducted during the course of this Phase I ESA.

9.0 Other Environmental Considerations

9.1 Asbestos-Containing Materials

The scope of services for this Phase I ESA did not include an inspection or sampling of suspect ACMs.

9.2 Lead-Based Paint

The scope of services for this Phase I ESA did not include an evaluation of the presence of lead-based paint on the subject site.

9.3 Radon

The scope of services for this Phase I ESA did not include an evaluation for the potential presence of Radon in the area of the subject site.

9.4 Wetlands

The scope of services for this Phase I ESA did not include an evaluation of suspect wetland areas on the subject site.

9.0 Other Environmental Considerations (continued)

9.5 Microbial Contamination (Mold)

The scope of services for this Phase I ESA did not include a mold evaluation on the subject site.

9.6 Items of Non-Compliance

The scope of services for this Phase I ESA did not include an evaluation of items of non-compliance with applicable local, state, or federal regulations.

9.7 Client-Specific Items

The scope of services for this Phase I ESA did not include addressing any client-specific items for the subject site.

Appendix A:

References

REFERENCES

- 1. Aerial Photographs, Macomb County's Department of Planning & Economic Development Aerial Photography Print Services.
- 2. EDR's Radius Map with GeoCheck, Milford, Connecticut, dated March 27, 2006
- 3. United States Department of Agriculture (USDA) Soil Conservation Service Soil Survey of Macomb County, Michigan
- 4. EDR Physical Setting Source Summary
- 5. USGS Topographic Map, Mount Clemens West, Michigan Quadrangle, dated 1968 and photorevised in 1973 and 1980)
- 6. Assessment/Building Department records from the City of Mount Clemens municipal offices
- 7. EDR's City Directory Abstract utilizing Cross-Index City Directories

Appendix B:

Qualifications



Key Personnel

EDUCATION

 BS, Earth Sciences, Western Michigan University

CERTIFICATIONS

- OSHA 40-Hour HAZWOPER Certification
- Asbestos Building Inspector: State of Michigan

AFFILIATIONS

 Michigan Association of Environmental Professionals

DAVID M. HUEY

Environmental Specialist

As an Environmental Specialist, Mr. Huey is responsible for a wide range of activities. His primary duties include conducting Phase I Environmental Site Assessments (ESAs), Transaction Screens, and Phase II ESAs. Other duties include the supervision of soil boring and monitoring well installation and the collection of soil and groundwater samples. Mr. Huey also conducts background research, field investigations, data evaluation, report writing, and addressing client needs and concerns.

EXPERIENCE

- Conducted numerous Environmental Site Assessments for a variety of clients throughout Michigan including commercial sites, industrial sites and vacant land.
- Vacant Land Northfield Township, Michigan. Conducted a Phase I environmental site assessment of a 200-acre vacant property. The Phase I site assessment was intended to provide the client with an independent, professional opinion on possible environment concerns associated with the site. A limited Phase II subsurface investigation was recommended for this site.
- Industrial Site Albion, Michigan. Conducted a Phase I environmental site assessment of a 5-acre industrial property. The Phase I site assessment was intended to provide the client with an independent, professional opinion on possible environment concerns associated with an industrial site. A limited Phase II subsurface investigation was recommended for this site.
- Gasoline Station Bridgeport, Michigan. Supervising monitoring well installation and collection of groundwater samples for analysis.
- Gasoline Stations Detroit, Michigan. Supervised installation and sampling of numerous soil borings associated with Phase II subsurface investigations.
- Gasoline Station Detroit, Michigan. Supervised excavation of impacted soils and collected all appropriate samples. Wrote and prepared the associated IAR for submittal to the MDEQ.
- Various Sites Greater Harrisburg, Pennsylvania. Conducted various Phase I and Phase II work at numerous site throughout the central-Pennsylvania area.





EDUCATION

 B.S. Agriculture, Michigan State University

CERTIFICATIONS

- OSHA HAZWOPER
- OSHA HAZWOPER Site Supervisor
- NIOSH 582 (equivalent)
- Michigan Asbestos Supervisor

AFFILIATIONS

 Air and Water Management Association

ROBERT W. LAMBDIN, JR.

Group Leader, Environmental Services

Mr. Lambdin oversees daily operations and workload for the entire Environmental Group. He leverages project managers, site specialists, geologists and other niche professionals in each office to make sure projects are completed on or before a client's deadline and resources are allocated properly to facilitate that. As an environmental group within a land development consulting firm, Mr. Lambdin also liaisons with other groups in the firm to serve their environmental needs. Mr. Lambdin also participates in business development, staff development and manages several projects.

EXPERIENCE

- Managed the environmental affairs program for a major Michigan bank.
- Managed the permanent closure of approximately 100 petroleum storage tanks for private clients, an automotive research center, and for a major Michigan bank.
- Conducted asbestos surveys on 200 commercial, industrial and residential properties as well as for several large hospitals.
- Managed and coordinated a remediation projects involving petroleum product contaminated soil and groundwater.
- Personally conducted and coordinated numerous environmental subsurface soil investigations.
- Air monitoring at residential buildings, commercial buildings, and schools during asbestos abatement projects.
- Indoor and ambient air quality analyses for organic and semi-volatile organic compounds and fugitive dust emissions.
- Coordination of an underground storage tank management program for an automotive research and development center.
- Performed hundreds of environmental evaluations for real estate property transfers.
- Interaction with state and federal environmental regulatory agencies for site remediation and disposal projects.
- Environmental compliance management and assessments for automotive research and development and industrial facilities.
- Coordinated the polychlorinated biphenyl management program for a Big Three automobile manufacturer including a spill remediation at an electrical transformer substation.
- Participated in the environmental support for fossil fuel and nuclear powered electrical generation facilities.
- Coordinate health and safety issues pertaining to environmental projects



Key Personnel

EDUCATION

 BS, Eastern Michigan University

CERTIFICATIONS

- OSHA 40-hour HAZWOPER
- Michigan Asbestos Inspector Certification
- Michigan Industrial Stormwater Certification
- Assessment/Remediation of Petroleum Hydrocarbons
- SARA Title III; Tier Two Reporting/Training
- Risk Based Corrective Action/Petroleum Sites

LOUIS F. STULTZ

Project Manager, Environmental Services

Mr. Stultz serves as an environmental project manager for Atwell-Hicks. His primary responsibilities are conducting/supervising all aspects of Phase I Environmental Site Assessments, Phase II Subsurface Investigations, Underground Storage Tank (UST) Assessments, Remedial Investigations, Baseline Environmental Assessments, Asbestos Surveys/Inspections and Brownfield Consulting Services. Mr. Stultz is responsible for all aspects of project management, including fieldwork, site research, report generation and generally ensuring that the client's needs and concerns are addressed professionally and expeditiously.

EXPERIENCE

Select Brownfield Redevelopment Projects

- Detroit, Michigan; Redevelopment of a property by a private developer which included the preparation of a Brownfield Plan, Act 381 Workplan for MDEQ/MEGA approval and a single business tax credit (SBT) in order to obtain financing under the Brownfield Redevelopment Act (1996 PA 381). This project will result in over \$1.3M in site eligible activities (environmental, asbestos, lead, demolition work).
- Howell, Michigan; Redevelopment of multiple parcels of contaminated property by a private developer. The project included the preparation of a Brownfield Plan, an Act 381 Workplan for MDEQ approval and a SBT credit in order to obtain financing under the Brownfield Redevelopment Act (1996 PA 381). This project will result in over \$1.2M in site eligible activities (environmental work).
- Trenton, Michigan; Redevelopment of a parcel of contaminated property by the municipality prior to purchase by a private developer. The project obtained financing under the Brownfield Redevelopment Act (1996 PA 381) for the remediation of contaminated soils in order to improve the property for residential development.
- Auburn Hills, Michigan; Redevelopment of a former gravel pit/dump for reuse as a multi-tenant, light-industrial park. The project involved the preparation of a Brownfield Management Outline, including an extensive hydrogeologic investigation and Remedial Action Plan (RAP) in order to obtain financing via a Brownfield Redevelopment Grant.





LOUIS F. STULTZ

Page Two

EXPERIENCE (continued)

Select Phase I ESA Experience


- Project Manager for 500 Phase I ESAs since arriving at Atwell-Hicks in November 1998.
- Multi-Site (39) Phase I ESAs Detroit, Michigan. Site manager for the completion of 39 Phase I ESAs in accordance with ASTM and City of Detroit guidelines for a professional stadium complex. This project was under extreme time constraints and was completed on schedule. Supervised aspects for Phase I field activities including all asbestos and lead-based paint inspections. Identified potential environmental concerns, conducted historical record review, aerial photographic interpretation, regulatory file review and report preparation.
- Multi-Site (35) Phase I ESAs Detroit, Michigan. Site manager for the completion of 35 Phase I ESAs in accordance with ASTM and City of Detroit guidelines for a potential casino location. This project was under extreme time constraints and was completed on schedule. Supervised and coordinated all aspects of Phase I field activities. Identified potential environmental concerns, conducted historical record review, aerial photographic interpretation, and regulatory file review and report preparation.

Phase II ESA & Leaking Underground Storage Tank (LUST) Investigations

- Managed numerous Phase II ESA & LUST Investigations throughout Michigan & Ohio
- Coordinated all project activities, including the advancement of Geoprobe borings, soil verification sampling, laboratory analysis, soil disposal, well installation and abandonment and summary/closure report preparation.

Appendix C:

Figures





SITE LOCATION MAP 300932.40 - 18 Welts Street 18 Welts Street, Mount Clemens, MI

Prepared for: City of Mount Clemens

PROJECT MANAGER: Mr. Louis Stultz DATE: 04/20/2006

DRAWN BY: David Huey PROJECT NO: 300932.40




FIGURE 2: SITE PLAN VIEW

18 WELTS STREET
CITY OF MOUNT CLEMENS
MACOMB COUNTY, MICHIGAN
PREPARED FOR:

CITY OF MOUNT CLEMENS, MI

AERIAL FLOWN: 2004 AERIAL SOURCE: ????? DR: SMS CAD FILE: 300932EV-12 PROJECT NO.: 300932.40 DATE: 04/05/06

ATWELL-HICKS

Engineering • Surveying • Planning Environmental • Water/Wastewater

8 8 8 8 5 0 4 2 0 0 www.atwell-hicks.com MICHIGAN ILLINOIS OHIO FLORIDA **Appendix D:**

Photographs



Picture 021



Picture 022



Picture 023



Picture 024



Picture 025



Picture 026



Picture 027



Picture 028



Picture 029



Picture 030



Picture 031



Picture 032



Picture 033



Picture 034

Appendix E:

Historical Research Documentation



"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: David Huey Order Date: 3/27/2006 Completion Date: 3/29/2006

Atwell Hicks Inquiry #: 1642312.31s

7927 Nemco Way **P.O. #:** NA

Brighton, MI 48116 Site Name: 18 Welts Street

Address: 18 Welts Street

Customer Project: NA City/State: Mount Clemens, MI 48043

1062613DPM 810-225-6000 **Cross Streets:**

Based on client-supplied information, fire insurance maps for the following years were identified

1897 - 1 Map

1903 - 1 Map

1909 - 1 Map

1921 - 1 Map

1930 - 1 Map

1945 - 1 Map

1967 - 1 Map

Limited Permission to Photocopy Total Maps: 7

Atwell Hicks (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report As Is. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

USER'S GUIDE

This User's Guide provides guidelines for accessing Sanborn Map® images and for transferring them to your Word Processor.

Reading Sanborn Maps

Sanborn Maps document historical property use by displaying property information through words, abbreviations, and map symbols. The Sanborn Map Key provides information to help interpret the symbols and abbreviations used on Sanborn Maps. The Key is available from EDR's Web Site at: http://www.edrnet.com/reports/samples/key.pdf

Organization of Electronic Sanborn Image File

- Sanborn Map Report, listing years of coverage
- User's Guide
- Oldest Sanborn Map Image
- Most recent Sanborn Map Image

Navigating the Electronic Sanborn Image File

- 1. Open file on screen.
- 2. Identify TP (Target Property) on the most recent map.
- Find TP on older printed images.
- Using Acrobat® Reader®, zoom to 250% in order to view more clearly. (200-250% is the approximate equivalent scale of hardcopy Sanborn Maps.)
 - A. On the menu bar, click "View" and then "Zoom to..."
 - B. Or, use the magnifying tool and drag a box around the TP

Printing a Sanborn Map From the Electonic File

- EDR recommends printing images at 300 dpi (300 dpi prints faster than 600 dpi)
- To print only the TP area, cut and paste from Acrobat to your word processor application.

Acrobat Versions 6 and 7

- 1. Go to the menu bar
- 2. Click the "Select Tool"
- 3. Draw a box around the area selected
- 4. "Right click" on your mouse
- Select "Copy Image to Clipboard"
- 6. Go to Word Processor such as Microsoft Word, paste and print.


Acrobat Version 5

- 1. Go to the menu bar
- 2. Click the "Graphics Select Tool"
- 3. Draw a box around the area selected
- 4. Go to "Menu"
- 5. Highlight "Edit"
- 6. Highlight "Copy"
- 7. Go to Word Processor such as Microsoft Word, paste and print.

Important Information about Email Delivery of Electronic Sanborn Map Images

- Images are grouped intro one file, up to 2MB.
- In cases where in excess of 6-7 map years are available, the file size typically exceeds 2MB. In these cases, you will receive multiple files, labeled as "1 of 3", "2 of 3", etc. including all available map years.


 Due to file size limitations, certain ISPs, including AOL, may occasionally delay or decline to deliver files. Please
- contact your ISP to identify their specific file size limitations.











The Sanborn Library, LLC

Copyright© 1903

Year The Sanborn Library, LLC TIM

EDR Research Associate

Reproduction in whole or in part of any map of the Sanborn Library, LLC may be prohibited without prior written




The Sanborn Library, LLC

Copyright© 1909 The Sanborn Library, LLC TIM

FER Research Associate

Reproduction in whole or in part of any map of the Sanborn Library, LLC may be prohibited without prior written



The Sanborn Library, LLC


Copyright© 1921
Year

The Sanborn Library, LLC


IM
EDR Research Associate

Reproduction in whole or in part of xm; may of The Sanborn Library, LLC may be prohibited without prior written










production in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior writte





The EDR-City Directory Abstract

18 Welts Street 18 Welts Street Mount Clemens, MI 48043

Inquiry Number: 1642312.32

Thursday, March 30, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050 Fax: 1-800-231-6802 Internet: www.edrnet.com

City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. The city directory is a sophisticated tool for locating individuals and businesses. With each address, the directory lists the name of the corresponding occupant.

References

To meet the prior use requirements of ASTME 1527-05, Section 8.3.2, the following *standard historical sources* may be used: aerial photographs, fire insurance maps, property tax files, land title records (although these cannot be the sole historical source consulted), topographic maps, city directories, building department records, or zoning/land use records. ASTME 1527-05, Section 8.3 on Historical Use Information, identifies the prior use requirements for a Phase I environmental site assessment. ASTME 1527-05 requires "All obvious uses of the property shall be identified from the present, back to the property's first developed use, or back to 1940, whichever is earlier. This task requires reviewing only as many of the standard historical sources as are necessary and both reasonably ascertainable and likely to be useful." (ASTME 1527-05, Section 8.3.2) Reasonably ascertainable means information that is publicly available, obtainable from a source within reasonable time and cost constraints, and practically reviewable.

EPA's Standards and Practices for All Appropriate Inquiries (AAI), Section § 312.24, identifies the historical sources of information necessary to achieve the objectives and performance factors of § 312.20. According to AAI, "historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."

Data Gaps

In order to address data gaps, additional sources of information may be consulted. According the AAI, Section § 312.20 (g), "to the extent there are data gaps (as defined in § 312.10) in the information developed...that affect the ability of persons (including the environmental professional) conducting the all appropriate inquiries to identify conditions indicative of releases or threatened releases...such persons should identify such data gaps, identify the sources of information consulted to address such data gaps, and comment upon the significance of such data gaps." According to ASTM E 1527-05, Section 8.3.2.3, "historical research is complete when either: (1) the objectives in 8.3.1 through 8.3.2.2 are achieved; or (2) data failure is encountered. Data failure occurs when all of the standard historical sources that are reasonably ascertainable and likely to be useful have been reviewed and yet the objectives have not been met....If data failure is encountered, the report shall document the failure and, if any of the standard historical sources were excluded, give the reasons for their exclusion."

Thank you for your business.

Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.

Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2005 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SUMMARY

City Directories:

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1927 through 2006. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

Date EDR Searched Historical Sources: 3/30/2006

Target Property:

18 Welts Street

Mount Clemens, MI 48043

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Residence	Lester's City Directory
1930	The DeSteiger Music Co.	Lester's City Directory
1935	Residence	Lester's City Directory
1939	Apartments	Lester's City Directory
1944	Apartments	Lester's City Directory
1949	Residence	Lester's City Directory
1955	Apartments	Lester's City Directory
1966	Address Not Listed in Research Source	Lester's City Directory
1972	Address Not Listed in Research Source	Bresser's Criss-Cross Directory
1976	Address Not Listed in Research Source	Bresser's Criss-Cross Directory
1981	Address Not Listed in Research Source	Bresser's Criss-Cross Directory
1986	Address Not Listed in Research Source	Bresser's Criss-Cross Directory
1991	Mitchell Buick Sls.	Bresser's Criss-Cross Directory
1996	Address Not Listed in Research Source	Bresser's Criss-Cross Directory
2001	Kinzer's Collision	Bresser's Criss-Cross Directory
2006	All American Auto Sales	Bresser's Criss-Cross Directory

Adjoining Properties SURROUNDING

Multiple Addresses

Mount Clemens, MI 48043

Year Uses Source

<u>Year</u> 1927	<u>Uses</u> **WELTS STREET**	<u>Source</u> Lester's City Directory
	Residence (7)	Lester's City Directory
	Address not listed in research source (7 1/2)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory
	Residence (11)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Address not listed in research source (16 1/2)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Address not listed in research source (18 1/2)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Vacant (20)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (24)	Lester's City Directory
	Address not listed in research source (24 1/2)	Lester's City Directory
	Residence (25)	Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (30)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory

<u>Year</u> 1927	<u>Uses</u> Address not listed in research source (34 1/2)	<u>Source</u> Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Address not listed in research source (40)	Lester's City Directory
	Residence (43)	Lester's City Directory
	Residence (44)	Lester's City Directory
	Mt. Clemens Hotel & Mineral Baths (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1930	**WELTS STREET**	Lester's City Directory
	Residence (7)	Lester's City Directory
	Address not listed in research source (7 1/2)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory
	Residence (11)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Address not listed in research source (16 1/2)	Lester's City Directory

<u>Year</u> 1930	<u>Uses</u> Vacant (17)	Source Lester's City Directory
	Vacant (18 1/2)	Lester's City Directory
	Vacant (19)	Lester's City Directory
	Vacant (20)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (24)	Lester's City Directory
	DeSteiger Music Co. (24 1/2)	Lester's City Directory
	Residence (25)	Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (30)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory
	Address not listed in research source (34 1/2)	Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Address not listed in research source (40)	Lester's City Directory
	Residence (43)	Lester's City Directory
	Residence (44)	Lester's City Directory
	Address not listed in research source (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory

<u>Year</u> 1930	<u>Uses</u> Address not listed in research source (51 1/2)	Source Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1935	**WELTS STREET**	Lester's City Directory
	Residence (7)	Lester's City Directory
	Address not listed in research source (7 1/2)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory
	Residence (11)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Address not listed in research source (16 1/2)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Vacant (18 1/2)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Residence (20)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (24)	Lester's City Directory
	Residence (24 1/2)	Lester's City Directory
	Residence (25)	Lester's City Directory
	Residence (27)	Lester's City Directory

<u>Year</u> 1935	<u>Uses</u> Residence (27 1/2)	Source Lester's City Directory
1000	. 65,65,165 (2. 172)	Loctor's dity Birottory
	Residence (30)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory
	Residence (34 1/2)	Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Address not listed in research source (40)	Lester's City Directory
	Residence (43)	Lester's City Directory
	Residence (44)	Lester's City Directory
	New Central Mineral Bath House (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1939	**WELTS STREET**	Lester's City Directory
	Residence (7)	Lester's City Directory
	Residence (7 1/2)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory

Year 1939	<u>Uses</u> Residence (11)	Source Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Residence (16 1/2)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Residence (18 1/2)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Residence (20)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (24)	Lester's City Directory
	Residence (24 1/2)	Lester's City Directory
	Residence (25)	Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (30)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory
	Residence (34 1/2)	Lester's City Directory
	Mt. Clemens Lo-Fric Sales Co. (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Address not listed in research source (40)	Lester's City Directory
	Residence (43)	Lester's City Directory

Year 1939	<u>Uses</u> Residence (44)	Source Lester's City Directory
	New Central Mineral Bath House (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1944	**WELTS STREET**	Lester's City Directory
	Residence (7)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory
	Residence (11)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Residence (18 1/2)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Residence (20)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (24)	Lester's City Directory
	Residence (24 1/2)	Lester's City Directory

Year 1944	<u>Uses</u> Residence (25)	Source Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (30)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory
	Residence (34 1/2)	Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Residence (40)	Lester's City Directory
	Residence (43)	Lester's City Directory
	Residence (44)	Lester's City Directory
	New Central Mineral Bath House (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1949	**WELTS STREET**	Lester's City Directory
	Vacant (7)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory

Year 1949	<u>Uses</u> Address not listed in research source (10)	<u>Source</u> Lester's City Directory
	Residence (11)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Residence (18 1/2)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Residence (20)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (24)	Lester's City Directory
	Residence (24 1/2)	Lester's City Directory
	Residence (25)	Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (30)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory
	Residence (34 1/2)	Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Residence (40)	Lester's City Directory
	Residence (43)	Lester's City Directory

Year 1949	<u>Uses</u> Residence (44)	Source Lester's City Directory
	New Central Mineral Bath House (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1955	**WELTS STREET**	Lester's City Directory
	Vacant (7)	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory
	Residence (11)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (16)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Residence (21)	Lester's City Directory
	Residence (25)	Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (30)	Lester's City Directory

Year 1955	<u>Uses</u> Residence (33)	Source Lester's City Directory
	Residence (34)	Lester's City Directory
	Residence (34 1/2)	Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Residence (40)	Lester's City Directory
	Residence (43)	Lester's City Directory
	Residence (44)	Lester's City Directory
	New Central Mineral Bath House (48)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Residence (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Vacant (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Address not listed in research source (196)	Lester's City Directory
1966	**WELTS STREET**	Lester's City Directory
	Address not listed in research source (9)	Lester's City Directory
	Address not listed in research source (10)	Lester's City Directory
	Residence (15)	Lester's City Directory
	Residence (17)	Lester's City Directory
	Residence (19)	Lester's City Directory
	Residence (21)	Lester's City Directory


<u>Year</u>	<u>Uses</u>	Source
1966	Vacant (25)	Lester's City Directory
	Residence (27)	Lester's City Directory
	Residence (27 1/2)	Lester's City Directory
	Residence (33)	Lester's City Directory
	Residence (34)	Lester's City Directory
	Residence (34 1/2)	Lester's City Directory
	Residence (36)	Lester's City Directory
	Residence (39)	Lester's City Directory
	Residence (40)	Lester's City Directory
	Residence (43)	Lester's City Directory
	Residence (44)	Lester's City Directory
	Residence (49)	Lester's City Directory
	Fields Home for Aged (51)	Lester's City Directory
	Address not listed in research source (51 1/2)	Lester's City Directory
	Residence (53)	Lester's City Directory
	NORTH BROADWAY	Lester's City Directory
	Residence (196)	Lester's City Directory
1972	**WELTS STREET**	Bresser's Criss-Cross Directory
	Station Serv. & Eqpt. (9)	Bresser's Criss-Cross Directory
	Address not listed in research source (10)	Bresser's Criss-Cross Directory
	No Return (21)	Bresser's Criss-Cross Directory
	Residence (25)	Bresser's Criss-Cross Directory

<u>Year</u> 1972	<u>Uses</u> Residence (27)	Source Bresser's Criss-Cross Directory
	Residence (33)	Bresser's Criss-Cross Directory
	Residence (39)	Bresser's Criss-Cross Directory
	Residence (49)	Bresser's Criss-Cross Directory
	No Return (51)	Bresser's Criss-Cross Directory
	Address not listed in research source (51 1/2)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory
1976	**WELTS STREET**	Bresser's Criss-Cross Directory
	Address not listed in research source (9)	Bresser's Criss-Cross Directory
	Address not listed in research source (10)	Bresser's Criss-Cross Directory
	No Return (21)	Bresser's Criss-Cross Directory
	Residence (25)	Bresser's Criss-Cross Directory
	No Return (27)	Bresser's Criss-Cross Directory
	Residence (33)	Bresser's Criss-Cross Directory
	Residence (51)	Bresser's Criss-Cross Directory
	Residence (51 1/2)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 21 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory

<u>Year</u> 1976	<u>Uses</u> Residence (196)	Source Bresser's Criss-Cross Directory
1981	**WELTS STREET**	Bresser's Criss-Cross Directory
	Kinzer's Collision (9)	Bresser's Criss-Cross Directory
	Address not listed in research source (10)	Bresser's Criss-Cross Directory
	No Return (21)	Bresser's Criss-Cross Directory
	No Return (25)	Bresser's Criss-Cross Directory
	Residence (51)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory
1986	**WELTS STREET**	Bresser's Criss-Cross Directory
	Kinzer's Collision (9)	Bresser's Criss-Cross Directory
	Address not listed in research source (10)	Bresser's Criss-Cross Directory
	No Return (21)	Bresser's Criss-Cross Directory
	No Return (25)	Bresser's Criss-Cross Directory
	Residence (51)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory
1991	**WELTS STREET**	Bresser's Criss-Cross Directory

<u>Year</u> 1991	<u>Uses</u> Kinzer's Collision (9)	Source Bresser's Criss-Cross Directory
	Address not listed in research source (10)	Bresser's Criss-Cross Directory
	No Return (21)	Bresser's Criss-Cross Directory
	No Return (25)	Bresser's Criss-Cross Directory
	No Return (51)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory
1996	**WELTS STREET**	Bresser's Criss-Cross Directory
	Kinzer's Collision (9)	Bresser's Criss-Cross Directory
	Kinzer's Collision (10)	Bresser's Criss-Cross Directory
	No Return (21)	Bresser's Criss-Cross Directory
	No Return (25)	Bresser's Criss-Cross Directory
	Residence (51)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory
2001	**WELTS STREET**	Bresser's Criss-Cross Directory
	Kinzer's Collision (9)	Bresser's Criss-Cross Directory
	Address not listed in research source (25)	Bresser's Criss-Cross Directory

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2001	Residence (51)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory
2006	**WELTS STREET**	Bresser's Criss-Cross Directory
	Kinzer's Collision (9)	Bresser's Criss-Cross Directory
	U-Haul Co. (9)	Bresser's Criss-Cross Directory
	No Return (25)	Bresser's Criss-Cross Directory
	Residence (51)	Bresser's Criss-Cross Directory
	Residence (53)	Bresser's Criss-Cross Directory
	-No Other Addresses Listed Before 9 Welts Street	Bresser's Criss-Cross Directory
	NORTH BROADWAY	Bresser's Criss-Cross Directory
	Residence (196)	Bresser's Criss-Cross Directory



1972 AERIAL PHOTOGRAPH

18 WELTS STREET CITY OF MOUNT CLEMENS MACOMB COUNTY, MICHIGAN PREPARED FOR:

CITY OF MOUNT CLEMENS, MI

AERIAL SOURCE: ????? DR: SMS CAD FILE: 300932EV-12

PROJECT NO.: 300932.40 DATE: 04/05/06


ATWELL-HICKS

Engineering • Surveying • Planning

Environmental • Water/Wastewater

8 6 6 8 5 0 4 2 0 0

www.dtwell-hicks.com
MICHIGAN ILLINOIS OHIO FLORIDA



2000 AERIAL PHOTOGRAPH

18 WELTS STREET CITY OF MOUNT CLEMENS MACOMB COUNTY, MICHIGAN PREPARED FOR:

CITY OF MOUNT CLEMENS, MI

AERIAL SOURCE: 777?? DR: SMS CAD FILE: 300932EV-12

PROJECT NO.: 300932.40 DATE: 04/05/06

ATWELL-HICKS
Engineering • Surveying • Planning
Environmental • Water/Wastewater

8 6 6 8 5 0 4 2 0 0 www.atwell-hicks.com MICHIGAN ILLINOIS OHIO FLORIDA

Appendix F:

Regulatory Records Documentation



The EDR Radius Map with GeoCheck®

18 Welts Street 18 Welts Street Mount Clemens, MI 48043

Inquiry Number: 1642312.30s

March 27, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050 Fax: 1-800-231-6802 Internet: www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map.	2
Detail Map.	 3
Map Findings Summary	4
Map Findings	6
Orphan Summary.	
Government Records Searched/Data Currency Tracking	GR-1
GEOCHECK ADDENDUM	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map.	A-7
Physical Setting Source Map Findings.	A-8
Physical Setting Source Records Searched	A-14

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

18 WELTS STREET MOUNT CLEMENS, MI 48043

COORDINATES

Latitude (North): 42.601700 - 42° 36' 6.1" Longitude (West): 82.876200 - 82° 52' 34.3"

Universal Tranverse Mercator: Zone 17 UTM X (Meters): 346083.3 UTM Y (Meters): 4718077.5

Elevation: 608 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 42082-E8 MOUNT CLEMENS WEST, MI

Most Recent Revision: 1980

East Map: 42082-E7 MOUNT CLEMENS EAST, MI

Most Recent Revision: 1980

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL..... National Priority List

System

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

ERNS..... Emergency Response Notification System

HMIRS..... Hazardous Materials Information Reporting System

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL.... Sites with Institutional Controls
DOD...... Department of Defense Sites
FUDS...... Formerly Used Defense Sites
US BROWNFIELDS..... A Listing of Brownfields Sites

CONSENT..... Superfund (CERCLA) Consent Decrees

TRIS...... Toxic Chemical Release Inventory System

TSCA...... Toxic Substances Control Act

Rodenticide Act)/TSCA (Toxic Substances Control Act)

SSTS Section 7 Tracking Systems
PADS PCB Activity Database System
MLTS Material Licensing Tracking System

MINES..... Mines Master Index File

STATE AND LOCAL RECORDS

AST..... Aboveground Tanks

PEAS Pollution Emergency Alerting System

TRIBAL RECORDS

INDIAN RESERV..... Indian Reservations

INDIAN UST..... Underground Storage Tanks on Indian Land

EDR PROPRIETARY RECORDS

EDR Historical Auto StationsEDR Proprietary Historic Gas Stations **EDR Historical Cleaners**..... EDR Proprietary Historic Dry Cleaners

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL RECORDS

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 12/29/2005 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
FORD MOTOR COMPANY-MT. CLEMENS	151 LAFAYETTE STREET	1/2 - 1 NW	30	31

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/15/2005 has revealed that there are 6 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
MITCHELL BUICK HONDA SVC	143 N GRATIOT	0 - 1/8 SSW	2	6
KRAUSENECK H P DDS PC	53 NORTH AVE	1/8 - 1/4W	C14	17
Lower Elevation	Address	Dist / Dir	Map ID	Page
KINZERS COLLISION	9 WELTS	0 - 1/8 SE	1	6
MITCHELL BUICK INC	165 N GRATIOT	0 - 1/8 ENE	3	8
KNIGHT ENTERPRISES INC K14	1160 S GRATIOT	1/8 - 1/4NNE	D15	17
MT CLEMENS DODGE INC	253 N GRATIOT	1/8 - 1/4NNE	D16	17

STATE AND LOCAL RECORDS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Quality's' Contaminated Sites List on Diskette With Address.

A review of the SHWS list, as provided by EDR, and dated 02/20/2006 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
PULSE OIL	14 MARY STREET	1/2 - 1 WSV	V 28	30
Facility Status: Interim Response con	ducted - No further activities anticipated			

DEL SHWS: Sites that have been delisted or deleted from the List of Contaminated Sites. The available documentation for the site does support it's listing or the site no longer meets criteria specified in rules.

A review of the DEL SHWS list, as provided by EDR, and dated 02/27/2006 has revealed that there is 1 DEL SHWS site within approximately 1 mile of the target property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
G AND L INDUSTRIES	332 CASS ST	1/2 - 1 WSV	V 29	31

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Quality's Leaking Underground Storage Tank (LUST) Database.

A review of the LUST list, as provided by EDR, and dated 12/13/2005 has revealed that there are 5 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
BOB DEVELOPMENT CO Facility Status: Closed	102 NORTH AVE	1/8 - 1/4W	C12	16
ST JOSEPH MERCY HOSPITALS Facility Status: Closed	215 NORTH AVE	1/4 - 1/2 NNW	22	25
MT CLEMENS HIGH SCHOOL Facility Status: Closed	155 CASS AVE	1/4 - 1/2SW	25	29
Lower Elevation	Address	Dist / Dir	Map ID	Page
MOBIL Facility Status: Open	12 MARKET ST	1/4 - 1/2SSE	E19	19
DONALD THIBODEAUX Facility Status: Open Facility Status: Closed	74 DICKINSON ST	1/4 - 1/2SSE	23	27

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Michigan UST database.

A review of the UST list, as provided by EDR, and dated 12/13/2005 has revealed that there are 5 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
MITCHELL BUICK HONDA SVC	143 N GRATIOT	0 - 1/8 SSW	8	6
MITCHELL BUICK-HONDA SALES INC	165 NORTHBOUND GRATIOT	1/8 - 1/4NNE		10
ST. PETER CHURCH	98 NEW ST	1/8 - 1/4WSW		15
Lower Elevation	Address	Dist / Dir	Map ID	Page
SPEARS CLEANERS	178 N GRATIOT	0 - 1/8 NE	4	8
180 NORTH MAIN BUILDING (FORME	120 N MAIN	1/8 - 1/4S	7	9

AUL: A listing of sites with institutional and/or engineering controls in place.

A review of the AUL list, as provided by EDR, and dated 02/01/2006 has revealed that there is 1 AUL site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
BOB DEVELOPMENT CO.	102 NORTH AVE	1/8 - 1/4W	C13	16

DRYCLEANERS: A listing of drycleaning facilities in Michigan.

A review of the DRYCLEANERS list, as provided by EDR, and dated 11/18/2005 has revealed that there are 2 DRYCLEANERS sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
SPEARS CLEANERS	178 NORTHBOUND GRATIOT	1/8 - 1/4NNE		15
SPEARS CLEANERS	178 NORTHBOUND GRATIOT	1/8 - 1/4NNE		15

BROWNFIELDS: Brownfields and USTfield Site Database.

A review of the BROWNFIELDS list, as provided by EDR, and dated 02/23/2006 has revealed that there is 1 BROWNFIELDS site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
MT. CLEMENS MOBIL	12 MARKET STREET	1/4 - 1/2SSE	E20	24

BEA: Baseline Environmental Assessment.

A review of the BEA list, as provided by EDR, and dated 12/16/2005 has revealed that there are 7 BEA sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page	
GASOLINE STATION KRAUSE CLEANERS INC	221 NORTHBOUND GRATIOT 59 SOUTHBOUND GRATIOT A	1/4 - 1/2NNE 1/4 - 1/2SSW		24 30	
Lower Elevation	Address	Dist / Dir	Map ID	Page	
143 NORTH MAIN LLC	143 NORTH MAIN STREET	0 - 1/8 S	A5	9	
NORTH MAIN COMMERCIAL PROPERTY	143 NORTH MAIN	0 - 1/8 S	A6	9	
CLEMENS CENTER	16-32 MARKET STREET	1/4 - 1/2SSE	E17	18	
MOBIL STATION #03-C6F (FORMER)	12 MARKET STREET	1/4 - 1/2SSE	E18	19	
45 S. MAIN STREET, LLC `	45 SOUTH MAIN STREET	1/4 - 1/2SSW	24	29	

EDR PROPRIETARY RECORDS

EDR Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used

whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.


A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
MT. CLEMENS GAS CO	184 GRAND AVE	1/2 - 1 W	27	30

Due to poor or inadequate address information, the following sites were not mapped:

Site Name	Database(s)
FORMER SAFETY-KLEEN CORP SERVICE CENTER	RCRA-SQG, FINDS, RCRA-TSDF, CORRACTS, CERC-NFRAP
SHAW BROTHERS AUTO SALVAGE	SHWS
SELFRIDGE ANG BASE	SHWS
KRAUSE CLEANERS	SHWS
JOHN M MARCH SERVICE STATION	SHWS
MT CLEMENS COATINGS AND PLASTICS	SHWS
STEVENSON ROAD DRUM	CERCLIS, FINDS
MOUNT CLEMENS CITY LANDFILL	CERC-NFRAP HIST LF
M-97 LANDFILL MIDWEST MT CLEMENS LTD PTNP	LUST, BEA
PARK & GRATIOT MARATHON INC	LUST, UST
FORMER BELL FORKLIFT	LUST, UST
MITCHELL BUICK, INC	LUST
TOWER BUS INC	LUST
METRO CAR & TRUCK WASH	LUST, UST
POINTE CHRYSLER-PLYMOUTH	LUST, UST
SOENEN BROTHERS	LUST, UST
SCHNEIDERS CLEANERS INC	LUST, UST
MEINEKE MUFFLER (DOUGS MUFFLER)	LUST, UST
JOHNS LUMBER	LUST, UST
FAST TRACK	LUST
FIRE STONE BUILDING	LUST, UST
SHERIFF DEPT-MARINE PATROL CITY PARKING LOT / CITY OF MT CLEMENS	LUST, UST UST
MI DEPT/TRANSPORTATION BRIDGE B01-50031	
CLINTON RIVER ROAD AND CANAL STREET	RCRA-SQG, FINDS ERNS
SOUTH MAIN STREET PROPERTY	BEA
NORTH RIVER PROPERTIES	BEA
HEAVY INDUSTRIAL BUILDING	BEA
FIRESTONE BUILDING (FORMER)	BEA
POTTERY PLACE (THE FORMER)	BEA
EDWIN J. KLEIN	BEA

OVERVIEW MAP - 1642312.30s




ADDRESS: 18 Welts Street

Mount Clemens MI 48043 LAT/LONG: 42.6017 / 82.8762

CLIENT: Atwell Hicks CONTACT: David Huey INQUIRY #: 1642312.30s DATE: March 27, 2006

DETAIL MAP - 1642312.30s



SITE NAME: 18 Welts Street ADDRESS: 18 Welts Street

Mount Clemens MI 48043 LAT/LONG: 42.6017 / 82.8762 CLIENT: Atwell Hicks
CONTACT: David Huey
INQUIRY#: 1642312.30s
DATE: March 27, 2006

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FEDERAL RECORDS								
NPL Proposed NPL Delisted NPL NPL RECOVERY CERCLIS CERC-NFRAP CORRACTS RCRA TSD RCRA Lg. Quan. Gen. RCRA Sm. Quan. Gen. ERNS HMIRS US ENG CONTROLS US INST CONTROL DOD FUDS US BROWNFIELDS CONSENT ROD UMTRA ODI TRIS TSCA FTTS SSTS PADS MLTS MINES FINDS RAATS		1.000 1.000 1.000 TP 0.500 0.500 1.000 0.250 0.250 TP TP 0.500 0.500 1.000 1.000 0.500 1.000 0.500 TP	0 0 0 R 0 0 0 0 3 R R 0 0 0 0 0 0 0 0 R R R R	0 0 0 R 0 0 0 0 3 R R 0 0 0 0 0 0 0 0 0	0 0 0 R 0 0 0 0 R R R R 0 0 0 0 0 0 0 0	0 0 0 RR R R R R R R R R R R R R R R R	NR	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		IP	INK	INK	INK	INK	INK	U
STATE AND LOCAL RECOR	RDS	1.000	0	0	0	1	NR	1
DEL SHWS State Landfill HIST LF LUST UST AST PEAS AUL DRYCLEANERS BROWNFIELDS BEA		1.000 1.000 0.500 0.500 0.250 0.250 TP 0.500 0.250 0.500	0 0 0 0 2 0 NR 0 0 0	0 0 0 1 3 0 NR 1 2 0	0 0 0 4 NR NR NR NR 0 NR 1 5	1 NR NR NR NR NR NR NR NR	NR NR NR NR NR NR NR NR NR	1 0 0 5 5 0 0 1 2 1 7
TRIBAL RECORDS								
INDIAN RESERV		1.000	0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN UST		0.250	0	0	NR	NR	NR	0
EDR PROPRIETARY RECOR	<u>DS</u>							
Manufactured Gas Plants		1.000	0	0	0	1	NR	1
EDR Historical Auto Station	ıs	0.250	0	0	NR	NR	NR	0
EDR Historical Cleaners		0.250	0	0	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

1 KINZERS COLLISION RCRA-SQG 1000443265 SE 9 WELTS FINDS MID084302504

< 1/8 MOUNT CLEMENS, MI 48043

117 ft.

Relative: RCRAInfo:

Lower Owner: non EPA ID: MID084302504

Actual: 606 ft. Contact: STEVE KINZER (810) 468-1080

Classification: Small Quantity Generator

TSDF Activities: Not reported Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

2 MITCHELL BUICK HONDA SVC RCRA-SQG

SSW 143 N GRATIOT < 1/8 MOUNT CLEMENS, MI 48043 190 ft.

Relative:

RCRAInfo:

Equal Owner: non EPA ID: MID985644517

Actual: Contact: DARRELL DAUGHERTY

608 ft. Contact: DARRELL DAU (313) 468-4567

(0.0) .00 .00.

Classification: Small Quantity Generator

TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

UST:

Facility ID: 00021719 Facility Status: ACTIVE

Tank ID: 4

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40
Tank Status: Currently In Use

Remove Date: Not reported
Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Piping Type: Not reported

Contact: DARRELL DAUGHERTY

Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1981

1000691610

MID985644517

FINDS

UST

Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

Database(s)

EPA ID Number

MITCHELL BUICK HONDA SVC (Continued)

1000691610

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021719
Facility Status: ACTIVE
Tank ID: 2

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Piping Type: Not reported

Contact: DARRELL DAUGHERTY

Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1966

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021719
Facility Status: ACTIVE

Tank ID:

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Piping Type: Not reported

Contact: DARRELL DAUGHERTY

Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1966

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021719
Facility Status: ACTIVE
Tank ID: 3

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

EPA ID Number

MITCHELL BUICK HONDA SVC (Continued)

Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported

Contact: DARRELL DAUGHERTY

Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1966

Release Detection:

Tank: Not reported Pipe: Not reported

3 MITCHELL BUICK INC RCRA-SQG 1000691609
ENE 165 N GRATIOT FINDS MID985644509

< 1/8 MOUNT CLEMENS, MI 48046

286 ft.

Relative: RCRAInfo: Owner:

Lower Owner: non MID985644509

Actual: Contact: ROBERT ROWLETT

606 ft. CONTACT: ROBERT ROWL

(313) 468-4567

Classification: Small Quantity Generator

TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

4 SPEARS CLEANERS UST U003320598
NE 178 N GRATIOT N/A

< 1/8 MT CLEMENS, MI 48043

529 ft.

Relative: UST:

Lower Facility ID: 00005547
Facility Status: CLOSED

Actual: Tank ID: 1

606 ft. Owner: Spears Cleaners

Owner Country: USA
Owner Contact: Not reported
Owner Address: 178 N GRATIOT

MT CLEMENS, MI 48043

Owner Phone: (313) 468-6001 Product: GS 140 SOLVENT

Capacity: 1000

Tank Status: Removed from Ground

Remove Date: Apr 20 1990

1000691610

MAP FINDINGS Map ID

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SPEARS CLEANERS (Continued) U003320598

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Unknown Piping Type: Not reported

Contact: THEODORE PASSMORE

Contact Phone: (313) 468-6001

Impressed Device No

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

Α5 143 NORTH MAIN LLC S106896511 BEA South **143 NORTH MAIN STREET** N/A

< 1/8 **MOUNT CLEMENS, MI 48027** 586 ft.

Site 1 of 2 in cluster A

Relative: Lower

BEA:

BEA Number: 2794 Actual: District: Southeast MI 605 ft.

Date Received: 2005-05-31 00:59:00 Submitter Name: 143 NORTH MAIN LLC

Petition Determination: No Request

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: mitchelf

Storage Tank Division Division Assigned:

Secondary Address: Not reported

Α6 **NORTH MAIN COMMERCIAL PROPERTY** BEA S104912546 **143 NORTH MAIN** N/A

South < 1/8

586 ft.

MOUNT CLEMENS, MI 48043

Site 2 of 2 in cluster A

Relative: Lower

BEA:

BEA Number: 1197

Actual: District: Southeast MI 605 ft. 2000-08-21 00:00:00 Date Received:

Submitter Name: Petition Determination: No Request

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Storage Tank Division

Secondary Address: Not reported

180 NORTH MAIN BUILDING (FORMER) UST U003982721 N/A

South **120 N MAIN**

1/8-1/4 **MOUNT CLEMENS, MI 48043**

711 ft.

UST: Relative:

Facility ID: 00041647 Lower Facility Status: CLOSED

Actual: Tank ID:

606 ft. Community Central Bank Owner:

Owner Country: USA

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

EPA ID Number

180 NORTH MAIN BUILDING (FORMER) (Continued)

U003982721

UST

U003867847

N/A

Owner Contact: Not reported

Owner Address: non

non responsiv

Owner Phone:

Product: Unknown Capacity: 2000

Tank Status: Removed from Ground

Remove Date: Oct 19 2004

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Unknown
Piping Type: Not reported
Contact: Ronald R Reed
Contact Phone: (586) 783-4500

Impressed Device:No

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

8 MITCHELL BUICK-HONDA SALES INC NNE 165 NORTHBOUND GRATIOT AVE 1/8-1/4 MOUNT CLEMENS, MI 48043

897 ft.

Relative: UST:

Higher Facility ID: 00021663

Facility Status: ACTIVE

Actual: Tank ID: 10

609 ft. Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA

Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: JERRY TSUDIS
Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663
Facility Status: ACTIVE
Tank ID: 6

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

MAP FINDINGS Map ID Direction

Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MITCHELL BUICK-HONDA SALES INC (Continued)

Capacity: 40

Tank Status: Currently In Use Not reported Remove Date:

Asphalt Coated or Bare Steel Constr Material:

Piping Material: Galvanized Steel Piping Type: Not reported Contact: JERRY TSUDIS Contact Phone: (313) 468-4567

Impressed Device No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: **ACTIVE** Tank ID:

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA

Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL Capacity: 40 Tank Status: Currently In Use

Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Not reported Piping Type: JERRY TSUDIS Contact: Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: **ACTIVE** Tank ID: 9

Mitchell Buick-Honda Sales Inc Owner:

Owner Country: USA Not reported Owner Contact:

165 Northbound Gratiot Ave Owner Address: Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 HOIST OIL

Capacity: 40

Product:

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Piping Type: Not reported Contact: **JERRY TSUDIS** Contact Phone: (313) 468-4567

Impressed Device:No

U003867847

MAP FINDINGS Map ID Direction

Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MITCHELL BUICK-HONDA SALES INC (Continued)

U003867847

Apr 17 1971 Install Date:

Release Detection:

Tank: Not reported Pipe: Not reported

00021663 Facility ID: Facility Status: **ACTIVE** Tank ID:

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA Not reported Owner Contact:

165 Northbound Gratiot Ave Owner Address:

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity:

Currently In Use Tank Status: Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Piping Type: Not reported Contact: JERRY TSUDIS Contact Phone: (313) 468-4567 Impressed Device:No

Install Date:

Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: **ACTIVE** Tank ID:

Mitchell Buick-Honda Sales Inc Owner:

Owner Country: USA Owner Contact: Not reported

165 Northbound Gratiot Ave Owner Address:

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel Piping Type: Not reported Contact: JERRY TSUDIS Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: **ACTIVE**

Tank ID:

Owner: Mitchell Buick-Honda Sales Inc

Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

Database(s)

EPA ID Number

MITCHELL BUICK-HONDA SALES INC (Continued)

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: JERRY TSUDIS
Contact Phone: (313) 468-4567

Impressed Device No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: ACTIVE

Tank ID:

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: JERRY TSUDIS
Contact Phone: (313) 468-4567

Impressed Device No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: ACTIVE

Tank ID: 3

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

U003867847

Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

Database(s)

EPA ID Number

MITCHELL BUICK-HONDA SALES INC (Continued)

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: JERRY TSUDIS
Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663 Facility Status: ACTIVE

Tank ID: 7

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567 Product: HOIST OIL

Capacity: 40

Tank Status: Currently In Use Remove Date: Not reported

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: JERRY TSUDIS
Contact Phone: (313) 468-4567

Impressed Device:No

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00021663
Facility Status: ACTIVE

Tank ID: 1

Owner: Mitchell Buick-Honda Sales Inc

Owner Country: USA
Owner Contact: Not reported

Owner Address: 165 Northbound Gratiot Ave

Mount Clemens, MI 48043

Owner Phone: (313) 468-4567
Product: Gasoline
Capacity: 2000

Tank Status: Removed from Ground

Remove Date: Nov 20 1990

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: JERRY TSUDIS
Contact Phone: (313) 468-4567

Impressed DeviceNo

Install Date: Apr 17 1971

Release Detection:

Tank: Not reported

U003867847

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

EPA ID Number

MITCHELL BUICK-HONDA SALES INC (Continued)

Not reported

U003867847

B9 SPEARS CLEANERS DRYCLEANERS S106440197
NNE 178 NORTHBOUND GRATIOT N/A

NNE 178 NORTHBOUND GRATIOT 1/8-1/4 MT. CLEMENS, MI 48043

Pipe:

1038 ft.

Site 1 of 2 in cluster B

Relative: Lower

Drycleaners:

Facility Id: 5000063

Actual: New Owner As Of: Not reported

606 ft. Owner/operator Name : non responsive Owner/operator Phone :

Manager/contact Name : JONG SOOK BENDA Last Mdeq Inspection : November 09, 2005

 Current Year Fee :
 \$0.00

 Total Machines :
 1

 Actual Machines :
 1

 Pounds :
 45

 Dryers :
 1

 Type :
 8-0

Status : Awaiting Action Last License # Issued : 5996 for 2006

B10 SPEARS CLEANERS DRYCLEANERS S106440196
NNE 178 NORTHBOUND GRATIOT N/A

1/8-1/4 1038 ft.

Site 2 of 2 in cluster B

MT. CLEMENS, MI 48043

Relative: Lower

Drycleaners:

Facility Id: 5000136

Actual: New Owner As Of: Not reported

606 ft. Owner/operator Name: SPEARS CLE

Owner/operator Name: SPEARS CLEANERS
Owner/operator Phone: (586) 468-6001
Manager/contact Name: JONG SOOK BENDA
Last Mdeq Inspection: November 09, 2005

 Current Year Fee :
 \$297.60

 Total Machines :
 1

 Actual Machines :
 1

 Pounds :
 40

 Dryers :
 0

Type: Commercial dry to dry
Status: Awaiting Action
Last License # Issued: 6046 for 2006

11 ST. PETER CHURCH UST U003322494
WSW 98 NEW ST N/A

1/8-1/4 MOUNT CLEMENS, MI 48043

1044 ft.

Relative: UST:

Higher Facility ID: 00012532
Facility Status: CLOSED

Actual: Tank ID: 1

611 ft. Owner: St Peter Church

Owner Country: USA
Owner Contact: Not reported

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST. PETER CHURCH (Continued) U003322494

Owner Address: 98 New St

Mount Clemens, MI 48043

Owner Phone: (313) 468-4578 Product: Gasoline Capacity: 2000

Removed from Ground Tank Status:

Remove Date: May 1 1990

Asphalt Coated or Bare Steel Constr Material:

Piping Material: Galvanized Steel Piping Type: Not reported Contact: DORIS KALLEK Contact Phone: (313) 468-4578

Impressed Device:No

Install Date: Mar 14 1961

Release Detection:

Tank: Not reported Pipe: Not reported

LUST S105003646 C12 **BOB DEVELOPMENT CO** West **102 NORTH AVE** N/A

1/8-1/4 **MOUNT CLEMENS, MI 48043**

1159 ft.

Site 1 of 3 in cluster C

Relative: Higher

LUST:

Facility ID: 50002745 Apr 20 2001 Actual: Release Date: 612 ft. Facility Status: Closed

District: SE Michigan District Office

Oct 24 2001 Closed Date:

Owner Contact: Not reported Owner Name:

Owner Address: BOB DEVELOPMENT CO 102 NORTH AVE

MT CLEMENS, MI 48043

Country: USA

Owner Phone : (810) 465-7450 Leak Number: C-0246-01 Substance Releasethknown

Site Name: Bob Development Co

C13 **BOB DEVELOPMENT CO.** AUL S107543615 West **102 NORTH AVE** N/A

1/8-1/4 MT. CLEMENS, MI 0

1159 ft.

Site 2 of 3 in cluster C

Relative: MI INST CONTROL: Higher

Facility ID: 50002745

Actual: MDEQ Reference #: NCA-RRD-213-04-196

612 ft. Record Date: 10/24/01

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

C14 **KRAUSENECK H P DDS PC** RCRA-SQG West **53 NORTH AVE**

1/8-1/4 **MOUNT CLEMENS, MI 48043**

1160 ft.

Site 3 of 3 in cluster C

Relative: Higher

RCRAInfo:

Owner: Actual: EPA ID: MI0000144733 612 ft.

Contact: HAL KRAUSENECK (810) 468-5025

Classification: **Small Quantity Generator**

TSDF Activities: Not reported Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

KNIGHT ENTERPRISES INC K14 D15 NNE 1160 S GRATIOT

1/8-1/4 **MOUNT CLEMENS, MI 48043**

1175 ft.

Site 1 of 2 in cluster D

Relative: Lower

RCRAInfo:

KNIGHT ENTERPRISES INC Owner:

Actual: EPA ID: MID985658574 607 ft.

DAVID CACIOPPO Contact:

(313) 478-3651

Classification: **Small Quantity Generator**

TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

D16 MT CLEMENS DODGE INC NNE **253 N GRATIOT**

CLINTON TOWNSHIP, MI 48036 1/8-1/4

1266 ft.

Site 2 of 2 in cluster D

Relative: Lower

Actual: 607 ft.

TC1642312.30s Page 17

1000865813

1000828780 MID985658574

1000327330

MID113055388

MI0000144733

FINDS

RCRA-SQG

RCRA-SQG

FINDS

FINDS

Direction
Distance
Distance (ft.)
Elevation Site

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

EPA ID Number

MT CLEMENS DODGE INC (Continued)

1000327330

Date of

Compliance

S104912452

N/A

19960727

19960727

BEA

RCRAInfo:

Owner: non responsive
EPA ID: MID113055388

Contact: TOM MARSZALEC

TOM MARSZALEC (313) 772-1130

Classification: Small Quantity Generator

TSDF Activities: Not reported Violation Status: Violations exist

Regulation Violated: Not reported

Area of Violation: GENERATOR-OTHER REQUIREMENTS

Date Violation Determined: 04/15/1996 Actual Date Achieved Compliance: 07/27/1996

Enforcement Action: WRITTEN INFORMAL

Enforcement Action Date: 04/15/1996
Penalty Type: Not reported
Regulation Violated: Not reported

Area of Violation: GENERATOR-MANIFEST REQUIREMENTS

Date Violation Determined: 04/15/1996 Actual Date Achieved Compliance: 07/27/1996

Enforcement Action: WRITTEN INFORMAL

Enforcement Action Date: 04/15/1996
Penalty Type: Not reported

There are 2 violation record(s) reported at this site:

Evaluation Area of Violation

Compliance Evaluation Inspection GENERATOR-OTHER REQUIREMENTS

GENERATOR-MANIFEST REQUIREMENTS

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

E17 CLEMENS CENTER
SSE 16-32 MARKET STREET
1/4-1/2 MOUNT CLEMENS, MI 48043

1/4-1/2 MOUNT CLEMENS, MI 48043 1338 ft.

Dala Ca

Site 1 of 4 in cluster E

Relative: Lower

BEA:

BEA Number: 1092

Actual: District: Southeast MI

593 ft. Date Received: 2000-02-25 00:00:00

Submitter Name: MACOMB COUNTY PURCHASING DEPARTMENT

Petition Determination: No Request

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm Division Assigned: OTHER Secondary Address: Not reported

MAP FINDINGS Map ID

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CLEMENS CENTER (Continued)

S104912452

BEA Number: 1105 Southeast MI District: Date Received: 2000-03-16 00:00:00 Submitter Name: MACOMB COUNTY

Petition Determination: Affirmed

Category: No Hazardous Substance(s)

Determination 20107A: Affirmed Reviewer: temppm

Division Assigned: Storage Tank Division

Secondary Address: Not reported

E18 **MOBIL STATION #03-C6F (FORMER)** BEA S107031596 N/A

SSE 12 MARKET STREET 1/4-1/2 **MOUNT CLEMENS, MI 48043**

1345 ft.

Site 2 of 4 in cluster E

Relative: Lower

BEA:

BEA Number: 2813 Actual: District: Southeast MI 593 ft.

Date Received: 2005-06-10 00:59:00

Submitter Name: Mount Clemens Petroleum, LLC

Petition Determination: No Request

Same Hazardous Substance(s) Category:

Determination 20107A: No Request Reviewer: schlaufi

Division Assigned: Storage Tank Division

Secondary Address: Not reported

E19 **MOBIL** LUST U003319979 SSE 12 MARKET ST UST N/A

1/4-1/2 **MOUNT CLEMENS, MI 48043**

1345 ft.

Site 3 of 4 in cluster E

Relative: Lower

LUST:

Facility ID: 00003227 Actual: Release Date: Apr 20 1990

593 ft. Facility Status: Open

District: SE Michigan District Office

Closed Date: Not reported Owner Contact: Not reported

Mt Clemens Petroleum LLC Owner Name:

Owner Address: 4925 Pickford Dr Troy, MI 48085

Country: USA

(248) 506-3123 Owner Phone: Leak Number: C-0709-90 Substance Released reported Site Name: Mobil #05-c6f

UST:

Facility ID: 00003227 Facility Status: **ACTIVE**

Tank ID:

Mt Clemens Petroleum LLC Owner:

USA Owner Country: Owner Contact: Not reported

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

MOBIL (Continued) U003319979

Owner Address:

non non

Owner Phone: non
Product: Gasoline
Capacity: 10000

Tank Status: Removed from Ground

Remove Date: Apr 23 1987

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: Fred Perayeff
Contact Phone: (248) 506-3123

Impressed Device No

Install Date: Feb 19 1970

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00003227 Facility Status: ACTIVE

Tank ID: 10

Owner: Mt Clemens Petroleum LLC

Owner Country: USA
Owner Contact: Not reported
Owner Address: 4925 Pickford Dr
Troy, MI 48085

Owner Phone: (248) 506-3123 Product: Gasoline Capacity: 10000

Tank Status: Temporarily out of Use

Remove Date: Not reported

Constr Material: Fiberglass Reinforced Plastic Piping Material: Fiberglass Reinforced Plastic

Piping Type: Pressure
Contact: Fred Perayeff
Contact Phone: (248) 506-3123

Impressed Device:No

Install Date: Apr 1 1990

Release Detection:

Tank: Tank Tightness Testing, Automatic Tank Gauging

Pipe: Automatic Line Leak Detectors

Facility ID: 00003227 Facility Status: ACTIVE

Tank ID: 4

Owner: Mt Clemens Petroleum LLC

Owner Country: USA

Owner Contact: Not reported
Owner Address: 4925 Pickford Dr
Troy, MI 48085

Owner Phone: (248) 506-3123 Product: HYD. OIL Capacity: 50

Tank Status: Removed from Ground

Remove Date: Sep 1 1987

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel

MAP FINDINGS Map ID

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL (Continued) U003319979

Piping Type: Not reported Fred Perayeff Contact: (248) 506-3123 Contact Phone:

Impressed Device:No

Install Date: Feb 19 1970

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00003227 Facility Status: **ACTIVE** Tank ID: 5

Owner: Mt Clemens Petroleum LLC

Owner Country: USA Owner Contact: Not reported Owner Address: 4925 Pickford Dr Troy, MI 48085

(248) 506-3123

Owner Phone: Product: Gasoline Capacity: 10000

Tank Status: Removed from Ground

Remove Date: Apr 23 1990

Constr Material: Fiberglass Reinforced plastic Piping Material: Fiberglass reinforced plastic

Piping Type: Pressure Contact: Fred Perayeff Contact Phone: (248) 506-3123

Impressed Device:No

Install Date: Apr 26 1990

Release Detection:

Groundwater Monitoring, Inventory Control, Manual Tank Gauging, Tank Tightness Tank:

Automatic Line Leak Detectors, Line Tightness Testing Pipe:

Facility ID: 00003227 Facility Status: **ACTIVE** Tank ID:

Owner: Mt Clemens Petroleum LLC

Owner Country: USA Owner Contact: Not reported Owner Address: 4925 Pickford Dr Troy, MI 48085

Owner Phone: (248) 506-3123 Product: Gasoline 10000 Capacity:

Tank Status: Temporarily out of Use

Remove Date: Not reported

Constr Material: Fiberglass Reinforced Plastic Piping Material: Fiberglass Reinforced Plastic

Pressure, Pressure Piping Type: Contact: Fred Perayeff Contact Phone: (248) 506-3123

Impressed Device:No

Apr 1 1990 Install Date:

Release Detection:

Tank Tightness Testing, Automatic Tank Gauging Tank:

Pipe: Automatic Line Leak Detectors

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

MOBIL (Continued) U003319979

Facility ID: 00003227 Facility Status: ACTIVE

Tank ID:

Owner: Mt Clemens Petroleum LLC

Owner Country: USA
Owner Contact: Not reported
Owner Address: 4925 Pickford Dr

Troy, MI 48085 (248) 506-3123

Owner Phone: (248) 506-31 Product: Gasoline Capacity: 10000

Tank Status: Removed from Ground

Remove Date: Apr 23 1987

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: Fred Perayeff
Contact Phone: (248) 506-3123

Impressed Device:No

Install Date: Feb 19 1970

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00003227
Facility Status: ACTIVE
Tank ID: 3

Owner: Mt Clemens Petroleum LLC

Owner Country: USA
Owner Contact: Not reported
Owner Address: 4925 Pickford Dr
Troy, MI 48085

(248) 506-3123 Gasoline

Product: Gaso Capacity: 4000

Owner Phone:

Tank Status: Removed from Ground

Remove Date: Apr 23 1987

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Galvanized Steel
Piping Type: Not reported
Contact: Fred Perayeff
Contact Phone: (248) 506-3123

Impressed Device:No

Install Date: Feb 19 1970

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00003227 Facility Status: ACTIVE

Tank ID: 9

Owner: Mt Clemens Petroleum LLC

Owner Country: USA
Owner Contact: Not reported
Owner Address: 4925 Pickford Dr

Troy, MI 48085

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL (Continued) U003319979

Owner Phone: (248) 506-3123 Product: Gasoline Capacity: 10000

Tank Status: Temporarily out of Use

Remove Date: Not reported

Constr Material: Fiberglass Reinforced Plastic Piping Material: Fiberglass Reinforced Plastic

Piping Type: Pressure Fred Perayeff Contact: Contact Phone: (248) 506-3123

Impressed Device:No

Install Date: Apr 1 1990

Release Detection:

Tank: Tank Tightness Testing, Automatic Tank Gauging

Pipe: Automatic Line Leak Detectors

00003227 Facility ID: Facility Status: **ACTIVE**

Tank ID:

Mt Clemens Petroleum LLC Owner:

Owner Country: USA

Owner Contact: Not reported Owner Address: 4925 Pickford Dr Troy, MI 48085

Owner Phone: (248) 506-3123 Product: Gasoline Capacity: 10000

Tank Status: Removed from Ground

Remove Date: Apr 23 1990

Constr Material: Fiberglass Reinforced plastic Piping Material: Fiberglass reinforced plastic

Piping Type: Pressure Contact: Fred Perayeff Contact Phone: (248) 506-3123

Impressed Device:No

Install Date: Apr 26 1990

Release Detection:

Tank: Groundwater Monitoring, Inventory Control, Manual Tank Gauging, Tank Tightness

Pipe: Automatic Line Leak Detectors, Line Tightness Testing

Facility ID: 00003227 Facility Status: **ACTIVE** Tank ID: 11

Mt Clemens Petroleum LLC Owner: Owner Country: USA

Owner Contact: Not reported Owner Address: 4925 Pickford Dr Troy, MI 48085

Owner Phone: (248) 506-3123 Product: Gasoline Capacity: 10000

Tank Status: Temporarily out of Use

Not reported Remove Date:

Constr Material: Fiberglass Reinforced Plastic Fiberglass Reinforced Plastic Piping Material:

Piping Type: Pressure

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL (Continued) U003319979

Contact: Fred Perayeff (248) 506-3123 Contact Phone:

Impressed Device:No Install Date: Apr 1 1990

Release Detection:

Tank: Tank Tightness Testing, Automatic Tank Gauging

Automatic Line Leak Detectors Pipe:

Facility ID: 00003227 Facility Status: **ACTIVE** Tank ID:

Mt Clemens Petroleum LLC Owner:

Owner Country: USA Owner Contact: Not reported Owner Address: 4925 Pickford Dr Troy, MI 48085

Owner Phone: (248) 506-3123 Gasoline

Product: Capacity: 10000

Removed from Ground Tank Status:

Remove Date: Jul 23 1990

Constr Material: Fiberglass Reinforced plastic Fiberglass reinforced plastic Piping Material:

Piping Type: Pressure Contact: Fred Perayeff (248) 506-3123 Contact Phone:

Impressed Device:No Apr 26 1990 Install Date:

Release Detection:

Groundwater Monitoring, Inventory Control, Manual Tank Gauging, Tank Tightness Tank:

Testing

Pipe: Automatic Line Leak Detectors, Line Tightness Testing

E20 MT. CLEMENS MOBIL **BROWNFIELDS** S106515957

SSE 12 MARKET STREET 1/4-1/2 MT. CLEMENS, MI

1345 ft.

Site 4 of 4 in cluster E

Relative: Lower

Brownfield: Facility ID:

00003227 Actual: Status: Not reported 593 ft. Property Use: for sale gas station Not reported Summary:

Market: Not reported Comments: free product removal

GASOLINE STATION 21

221 NORTHBOUND GRATIOT AVENUE NNE

1/4-1/2 **MOUNT CLEMENS, MI 48043**

1430 ft.

Relative: **Equal**

Actual: 608 ft.

N/A

S106676410

N/A

BEA

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

GASOLINE STATION (Continued)

S106676410

BEA:

BEA Number: 2534 District: Southeast MI Date Received: 2004-09-28 00:59:00 Submitter Name:

Petition Determination: Affirmed

No Hazardous Substance(s) Category:

Determination 20107A: No Request Reviewer: mitchelf

Division Assigned: Storage Tank Division

Secondary Address: Not reported

ST JOSEPH MERCY HOSPITALS U003426210 22 LUST NNW 215 NORTH AVE UST N/A

1/4-1/2 **MOUNT CLEMENS, MI 48043**

2072 ft.

LUST: Relative:

Facility ID: 00039481 Higher Release Date: Aug 1 1997

Actual: **Facility Status:** Closed 616 ft.

SE Michigan District Office District:

> Closed Date: Sep 15 1998 Owner Contact: Not reported

St Joseph Mercy Hospitals Owner Name:

Owner Address: 215 North Ave

Mount Clemens, MI 48043

Country: USA

(810) 466-9312 Owner Phone: C-0640-97 Leak Number: Substance Releasethknown, Unknown Site Name: St Joseph Mercy Facilities

UST:

00039481 Facility ID: Facility Status: **ACTIVE**

Tank ID:

Owner: St Joseph Mercy Hospitals

Owner Country: USA Not reported Owner Contact: 215 North Ave Owner Address:

Mount Clemens, MI 48043

Owner Phone: (810) 466-9312 Product: FUEL/OIL 10000 Capacity:

Removed from Ground Tank Status:

Remove Date: Mar 6 1998

Asphalt Coated or Bare Steel Constr Material:

Piping Material: Unknown Piping Type: Not reported Contact: MIKE DELONG Contact Phone: (810) 468-4590

Impressed Device:No

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00039481

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST JOSEPH MERCY HOSPITALS (Continued)

Facility Status: **ACTIVE**

Tank ID:

Owner: St Joseph Mercy Hospitals

Owner Country: USA Owner Contact: Not reported 215 North Ave Owner Address:

Mount Clemens, MI 48043

Owner Phone: (810) 466-9312 Product: FUEL/OIL Capacity: 10000

Tank Status: Removed from Ground

Feb 25 1998 Remove Date:

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Unknown Piping Type: Not reported Contact: MIKE DELONG Contact Phone: (810) 468-4590

Impressed Device:No

Install Date: Not reported

Release Detection:

Not reported Tank: Pipe: Not reported

Facility ID: 00039481 Facility Status: **ACTIVE**

Tank ID: 3

Owner: St Joseph Mercy Hospitals

Owner Country: USA Owner Contact: Not reported 215 North Ave Owner Address:

Mount Clemens, MI 48043

Owner Phone: (810) 466-9312 Product: FUEL/OIL Capacity: 15000 Tank Status: Currently In Use

Not reported Remove Date:

Composite(Steel w/Fiberglass) Constr Material:

Piping Material: ATP FLEX POLY Piping Type: Suction: Valve at Tank Contact: MIKE DELONG Contact Phone: (810) 468-4590

Impressed Device No

Install Date: Mar 4 1998

Release Detection:

Automatic Tank Gauging, Inter Monitoring Double Walled Tank, Inter Tank:

Monitoring/Second Containment

Pipe: Interstitial Monitoring Double Walled Piping, Interstitial Monitoring/Second

Containment, Line Tightness Testing

U003426210

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

23 **DONALD THIBODEAUX** LUST U003758790 SSE 74 DICKINSON ST UST N/A

MOUNT CLEMENS, MI 48043 1/4-1/2

2292 ft.

LUST: Relative:

Facility ID: 00040305 Lower Release Date: Jan 13 2000

Facility Status: Actual: Open

585 ft. District: SE Michigan District Office

Closed Date: Not reported Owner Contact: Not reported Donald Thibodeaux Owner Name: Owner Address:

Country: USA

Owner Phone:

Leak Number: C-0825-00 Substance Releasethknown

Site Name: **Donald Thibodeaux**

00040305 Facility ID: Release Date: Dec 3 1999 **Facility Status:** Closed

District: SE Michigan District Office

Closed Date: Jun 14 2000 Owner Contact: Not reported Owner Name: **Donald Thibodeaux**

Owner Address:

USA Country:

Owner Phone: Leak Number: C-1268-99 Substance Releasethknown

Site Name: **Donald Thibodeaux**

UST:

00040305 Facility ID: Facility Status: CLOSED

Tank ID:

Owner: **Donald Thibodeaux**

Owner Country: USA Owner Contact: Not reported Owner Address:

Owner Phone:

Product: WASTE/OIL

1000 Capacity:

Tank Status: Closed in Ground Remove Date: Jan 14 2000

Asphalt Coated or Bare Steel Constr Material:

Piping Material: Bare Steel

Piping Type: Suction: No Valve At Tank Contact: DONALD THIBODEAUX

Contact Phone: (810) 778-6662

Impressed Device:No

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

Map ID MAP FINDINGS

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

Database(s)

EPA ID Number

DONALD THIBODEAUX (Continued)

U003758790

Facility ID: 00040305 Facility Status: CLOSED

Tank ID: 2

Owner: Donald Thibodeaux

Owner Country: USA

Owner Contact: Not reported

Owner Address: no

non responsiv

Owner Phone:

Product: WASTE/OIL

Capacity: 1000

Tank Status: Closed in Ground Remove Date: Jan 14 2000

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Bare Steel

Piping Type: Suction: No Valve At Tank Contact: DONALD THIBODEAUX

Contact Phone: (810) 778-6662

Impressed Device:No

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00040305 Facility Status: CLOSED

Tank ID: 3

Owner: Donald Thibodeaux

Owner Country: USA
Owner Contact: Not reported

Owner Address: non

non rosno

Owner Phone: nor

Product: WASTE/OIL

Capacity: 1000

Tank Status: Closed in Ground Remove Date: Jan 14 2000

Constr Material: Asphalt Coated or Bare Steel

Piping Material: Bare Steel

Piping Type: Suction: No Valve At Tank
Contact: DONALD THIBODEAUX

Contact Phone: (810) 778-6662

Impressed DeviceNo

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00040305 Facility Status: CLOSED

Tank ID:

Owner: Donald Thibodeaux

Owner Country: USA

Owner Contact: Not reported

Owner Address:

on responsive

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DONALD THIBODEAUX (Continued)

Owner Phone: Product: Diesel Capacity: 1000

Tank Status: Removed from Ground

Remove Date: Dec 3 1999

Asphalt Coated or Bare Steel Constr Material:

Piping Material: Bare Steel

Piping Type: Suction: No Valve At Tank Contact: DONALD THIBODEAUX

Contact Phone: (810) 778-6662

Impressed Device:No

Install Date: Not reported

Release Detection:

Tank: Not reported Pipe: Not reported

24 45 S. MAIN STREET, LLC S106425662 **BEA** SSW **45 SOUTH MAIN STREET** N/A

MOUNT CLEMENS, MI 48035 1/4-1/2

2479 ft.

BEA: Relative:

Lower

BEA Number: 2330

District: Southeast MI

Actual: 606 ft.

Date Received: 2004-03-22 00:59:00 Submitter Name: 45 S. Main Street, LLC

Petition Determination: No Request

No Hazardous Substance(s) Category:

Determination 20107A: No Request Reviewer: ndukwee

Environmental Response Division Division Assigned:

Secondary Address: Not reported

MT CLEMENS HIGH SCHOOL 25

SW 155 CASS AVE

1/4-1/2 **MOUNT CLEMENS, MI 48043**

2538 ft.

LUST: Relative:

Facility ID: 00037055 Higher

Release Date: Sep 20 1993

Actual: **Facility Status:** Closed

612 ft.

District: SE Michigan District Office

Closed Date: Oct 20 1994 Owner Contact: Not reported

Owner Name: Mt Clemens Comm Sch

Owner Address: 167 Cass Ave

Mount Clemens, MI 48043

USA Country: (734) 469-7801 Owner Phone: Leak Number: C-1153-93

Substance Releas@asoline,Used Oil Mt Clemens High School Site Name:

LUST S105551415

N/A

U003758790

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

26 **KRAUSE CLEANERS INC** RCRA-SQG 1000427821 SSW **59 SOUTHBOUND GRATIOT AVE FINDS** MID982072373

1/4-1/2 **MOUNT CLEMENS, MI 48043**

2553 ft.

RCRAInfo: Relative:

Contact: PAUL RIEDEL Higher

(313) 463-1557

Actual: **Small Quantity Generator** Classification: 609 ft.

TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

BEA:

BEA Number: 267

District: Southeast MI Date Received: 1997-02-13 00:00:00 Submitter Name:

Petition Determination: No Request

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: **Environmental Response Division**

Secondary Address: Not reported

1008408135 **Manufactured Gas Plants**

MT. CLEMENS GAS CO 27

West **184 GRAND AVE** 1/2-1 MT. CLEMENS, MI 48043

3798 ft.

Relative: Higher

Actual: 615 ft.

28 SHWS S103085572 **PULSE OIL** wsw 14 MARY STREET N/A

MT. CLEMENS, MI 48043 1/2-1

4682 ft.

SHWS: Relative:

Facility ID: 50000607 Higher

Source: Petroleum Bulk Stations & Term

Actual: **Facility Status:** Interim Response conducted - No further activities anticipated 609 ft.

Benzene; Ethylbenzene; Toluene; Xylenes; PNAs Pollutants:

> SAM Score: 22 out of 48 SAM Score Date: 12/22/2003 Township: 02N Range: 13E Section: 11

SW Quarter: Quarter/Quarter: SW N/A

BEA

Map ID MAP FINDINGS

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

Database(s)

EPA ID Number

29 G AND L INDUSTRIES DEL SHWS \$105965971

N/A

WSW 332 CASS ST 1/2-1 MT CLEMENS, MI

4886 ft.

Relative: DELETED HWS:

Lower Facility ID: 50000010

Status: Delisted - no longer meets criteria specified in rules

Actual: 607 ft.

 30
 FORD MOTOR COMPANY-MT. CLEMENS
 RCRA-SQG
 1000183611

 NW
 151 LAFAYETTE STREET
 FINDS
 MID076342708

1/2-1 MOUNT CLEMENS, MI 48403 RCRA-TSDF 5032 ft. UST

CORRACTS
Relative: CERC-NFRAP

Higher

CERCLIS-NFRAP Classification Data:

Actual: Federal Facility: Not a Federal Facility 615 ft. Non NPL Code: DR

NPL Status: Not on the NPL CERCLIS-NFRAP Assessment History:

Assessment: DISCOVERY Completed: 05/20/1991
Assessment: PRELIMINARY ASSESSMENT Completed: 06/01/1992
Assessment: ARCHIVE SITE Completed: 12/18/1995

CORRACTS Data:

EPA ld: MID076342708

Region: 05

Area Name: ENTIRE FACILITY
Actual Date: 12/23/1991

Corrective Action: CA070YE - RFA Determination Of Need For An RFI, RFI is Necessary

2002 NAICS Title: Plastics Material and Resin Manufacturing

EPA ld: MID076342708

Region: 05

Area Name: ENTIRE FACILITY
Actual Date: 12/23/1991

Corrective Action: CA050 - RFA Completed

2002 NAICS Title: Plastics Material and Resin Manufacturing

EPA ld: MID076342708

Region: 05

Area Name: ENTIRE FACILITY

Actual Date: 12/31/1991

Corrective Action: CA075ME - CA Prioritization, Facility or area was assigned a medium corrective

action priority

2002 NAICS Title: Plastics Material and Resin Manufacturing

RCRAInfo Corrective Action Summary:

Event: CA Prioritization, Facility or area was assigned a medium corrective action

priority.

Event Date: 12/31/1991

Map ID MAP FINDINGS

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

EPA ID Number

FORD MOTOR COMPANY-MT. CLEMENS (Continued)

RFA Completed 12/23/1991

Event: RFA Determination Of Need For An RFI, RFI is Necessary;

Event Date: 12/23/1991

RCRAInfo:

Event:

Event Date:

Owner: FORD MOTOR COMPANY

EPA ID: MID076342708

Contact: JIM BARNETT (586) 466-0700

Classification: TSDF TSDF Activities: Not reported Violation Status: Violations exist

Regulation Violated: Not reported

Area of Violation: TSD-PERMIT CONDITION

Date Violation Determined: 12/18/2001
Actual Date Achieved Compliance: Not reported

Enforcement Action: WRITTEN INFORMAL

Enforcement Action Date: 12/18/2001
Penalty Type: Not reported
Regulation Violated: Not reported

Area of Violation: GENERATOR-CONTAINER

Date Violation Determined: 04/19/1995 Actual Date Achieved Compliance: 06/30/1995

Enforcement Action: WRITTEN INFORMAL

Enforcement Action Date: 04/19/1995
Penalty Type: Not reported
Regulation Violated: Not reported

Area of Violation: GENERATOR-LAND BAN REQUIREMENTS

Date Violation Determined: 04/19/1995 Actual Date Achieved Compliance: 06/30/1995

Enforcement Action: WRITTEN INFORMAL

Enforcement Action Date: 04/19/1995
Penalty Type: Not reported
Regulation Violated: Not reported

Area of Violation: GENERATOR-OTHER REQUIREMENTS

Date Violation Determined: 04/19/1995 Actual Date Achieved Compliance: 06/30/1995

Enforcement Action: WRITTEN INFORMAL

Enforcement Action Date: 04/19/1995
Penalty Type: 04/19/1995
Not reported

There are 4 violation record(s) reported at this site:

Date of Evaluation Area of Violation Compliance

Non-Financial Record Review TSD-PERMIT CONDITION

Compliance Evaluation Inspection GENERATOR-CONTAINER
GENERATOR-LAND BAN REQUIREMENTS
GENERATOR-OTHER REQUIREMENTS

TC1642312.30s Page 32

19950630

19950630

19950630

1000183611

Map ID MAP FINDINGS

Direction Distance Distance (ft.)

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FORD MOTOR COMPANY-MT. CLEMENS (Continued)

1000183611

NY MANIFEST

Click this hyperlink while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site: INTEGRATED COMPLIANCE INFORMATION SYSTEM NATIONAL COMPLIANCE DATABASE SYSTEM RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM TOXIC CHEMICAL RELEASE INVENTORY SYSTEM

UST:

00012883 Facility ID: Facility Status: **CLOSED** Tank ID:

Owner: Ford Motor Co

Owner Country: USA

Owner Contact: **Environmental Quality Office** Owner Address: 3 Parklane Blvd Suite #950

Dearborn, MI 48126

Owner Phone: (313) 594-0324

Product: Hazardous Substance,7,

12000 Capacity:

Tank Status: Closed in Ground Remove Date: Jan 1 1988

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Piping Material: Bare Steel Piping Type: Not reported Contact: JAMES E. BALDWIN Contact Phone: (734) 466-1612

Impressed Device No

Install Date: May 1 1962

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00012883 Facility Status: **CLOSED** Tank ID: 4

Ford Motor Co Owner: Owner Country: USA

Environmental Quality Office Owner Contact:

Owner Address: 3 Parklane Blvd Suite #950 Dearborn, MI 48126

Owner Phone: (313) 594-0324 Product: Hazardous Substance Capacity: 12000

Tank Status: Closed in Ground Remove Date: Jan 1 1988

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Piping Material: Bare Steel Piping Type: Not reported JAMES E. BALDWIN Contact: Contact Phone: (734) 466-1612

Impressed Device:No

Install Date: May 1 1962

Release Detection:

Map ID MAP FINDINGS

Direction
Distance
Distance (ft.)

Distance (ft.)

Elevation Site

EDR ID Number

EPA ID Number

FORD MOTOR COMPANY-MT. CLEMENS (Continued)

1000183611

Tank: Not reported Pipe: Not reported

Facility ID: 00012883 Facility Status: CLOSED

Tank ID: 2

Owner: Ford Motor Co

Owner Country: USA

Owner Contact: Environmental Quality Office
Owner Address: 3 Parklane Blvd Suite #950

Dearborn, MI 48126

Owner Phone: (313) 594-0324
Product: Hazardous Substance

Capacity: 12000

Tank Status: Closed in Ground Remove Date: Jan 1 1988

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Piping Material: Bare Steel
Piping Type: Not reported
Contact: JAMES E. BALDWIN
Contact Phone: (734) 466-1612

Impressed Device:No

Install Date: May 1 1962

Release Detection:

Tank: Not reported Pipe: Not reported

Facility ID: 00012883 Facility Status: CLOSED

Tank ID:

Owner: Ford Motor Co

Owner Country: USA

Owner Contact: Environmental Quality Office Owner Address: 3 Parklane Blvd Suite #950

Dearborn, MI 48126

Owner Phone: (313) 594-0324

Product: Hazardous Substance,7,

Capacity: 10000

Tank Status: Closed in Ground Remove Date: Jan 1 1988

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Piping Material: Bare Steel
Piping Type: Not reported
Contact: JAMES E. BALDWIN
Contact Phone: (734) 466-1612
Impressed DeviceNo

Install Date: May 1 1958

Release Detection:

Tank: Not reported Pipe: Not reported

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
CLINTON TOWNSHIP	1000430185	STEVENSON ROAD DRUM	STEVENSON ROAD S OF QUINN W OF I-94	48043	CERCLIS, FINDS
CLINTON TWP	S103028832	MIDWEST MT CLEMENS LTD PTNP	1025 S GRATIOT	48036	LUST, BEA
MOUNT CLEMENS	S106676407	SOUTH MAIN STREET PROPERTY	41, 43, 45, 47 SOUTH MAIN STREET		BEA
MOUNT CLEMENS	S105095053	NORTH RIVER PROPERTIES	24591 AND 24601 NORTH RIVER ROAD		BEA
MOUNT CLEMENS	S106802497	HEAVY INDUSTRIAL BUILDING	24591 AND 24601 NORTH RIVER ROAD		BEA
MOUNT CLEMENS	90169589	CLINTON RIVER ROAD AND CANAL STREET	CLINTON RIVER ROAD AND CANAL STREET		ERNS
MOUNT CLEMENS	S104909540	FIRESTONE BUILDING (FORMER)	100 NORTH GRATIOT AVENUE	48043	BEA
MOUNT CLEMENS	U003426071	PARK & GRATIOT MARATHON INC	186 N GRATIOT	48043	LUST, UST
MOUNT CLEMENS	1000224196	FORMER SAFETY-KLEEN CORP SERVICE CENTER	44043 GROESBECK HIGHWAY	48036	RCRA-SQG, FINDS, RCRA-TSDF, CORRACTS, CERC-NFRAP
MOUNT CLEMENS	S104908715	POTTERY PLACE (THE FORMER)	GROESBECK HIGHWAY		BEA
MOUNT CLEMENS	U004004581	FORMER BELL FORKLIFT	4147 S MAIN ST	48043	LUST, UST
MOUNT CLEMENS	U003975278	CITY PARKING LOT / CITY OF MT CLEMENS	NORTH OF CASS E SOUTHBOUND GRATIOT	48043	UST
MOUNT CLEMENS	1001202413	MI DEPT/TRANSPORTATION BRIDGE B01-50031	M-97 OVER CLINTON RIVER	48043	RCRA-SQG, FINDS
MOUNT CLEMENS	1003871827	MOUNT CLEMENS CITY LANDFILL	NORTH RIVER ROAD	48043	CERC-NFRAP
MOUNT CLEMENS	S104911445	EDWIN J. KLEIN	NORTH WALNUT AVENUE		BEA
MT CLEMENS	S100069813	M-97 LANDFILL	M-97 (GROSBECK) / HUBBARD AVE	48043	HIST LF
MT CLEMENS	S104872760	MITCHELL BUICK, INC	143 N GRATIOT AVE	48043	LUST
MT CLEMENS	S105213587	TOWER BUS INC	363 N GRATIOT	48043	LUST
MT CLEMENS	U003321218	METRO CAR & TRUCK WASH	1111 S GRATIOT	48043	LUST, UST
MT CLEMENS	U003321635	POINTE CHRYSLER-PLYMOUTH	1625 GRATIOT	48043	LUST, UST
MT CLEMENS	U003322706	SOENEN BROTHERS	310 S GRATIOT	48043	LUST, UST
MT CLEMENS	U003323039	SCHNEIDERS CLEANERS INC	196 N GRATIOT	48043	LUST, UST
MT CLEMENS	U003325717	MEINEKE MUFFLER (DOUGS MUFFLER)	414 N GRATIOT	48043	LUST, UST
MT CLEMENS	U003325741	JOHNS LUMBER	34151 S GRATIOT	48043	LUST, UST
MT CLEMENS	S106802056	FAST TRACK	18 SOUTH GROESBECK HWY	48043	LUST
MT CLEMENS	S103594472	SHAW BROTHERS AUTO SALVAGE	25350 JOY	48043	SHWS
MT CLEMENS	U003325836	FIRE STONE BUILDING	100 N MAIN 100 N GRATIOT (FORMER ADDRESS)	48043	LUST, UST
MT CLEMENS	S103085434	SELFRIDGE ANG BASE	43200 MAPLE ST SELFRIDGE ANGB	48045	SHWS
MT CLEMENS	U003323972	SHERIFF DEPT-MARINE PATROL	33336 S RIVER RD	48043	LUST, UST
MT. CLEMENS	S103085576	KRAUSE CLEANERS	59 S. GRATIOT	48043	SHWS
MT. CLEMENS	S103594466	JOHN M MARCH SERVICE STATION	36291 GRATIOT AVENUE	48043	SHWS
MT. CLEMENS	S106508431	MT CLEMENS COATINGS AND PLASTICS	400 GROESBECK AND ELIZABETH RD.	48043	SHWS

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 11/29/2005 Source: EPA
Date Data Arrived at EDR: 01/31/2006 Telephone: N/A

Date Made Active in Reports: 02/27/2006 Last EDR Contact: 03/01/2006

Number of Days to Update: 27 Next Scheduled EDR Contact: 05/01/2006
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 8

Telephone 215-814-5418 Telephone: 303-312-6774

EPA Region 4

Telephone 404-562-8033

Proposed NPL: Proposed National Priority List Sites

Date of Government Version: 11/29/2005 Source: EPA
Date Data Arrived at EDR: 01/31/2006 Telephone: N/A

Number of Days to Update: 27 Next Scheduled EDR Contact: 05/01/2006
Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 11/29/2005 Source: EPA
Date Data Arrived at EDR: 01/31/2006 Telephone: N/A

Number of Days to Update: 27 Next Scheduled EDR Contact: 05/01/2006
Data Release Frequency: Quarterly

NPL RECOVERY: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA Telephone: 202-564-4267 Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 05/22/2006 Data Release Frequency: No Update Planned

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities

List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/24/2005 Date Data Arrived at EDR: 12/21/2005 Date Made Active in Reports: 01/30/2006

Number of Days to Update: 40

Source: EPA

Telephone: 703-413-0223 Last EDR Contact: 03/21/2006

Next Scheduled EDR Contact: 06/19/2006 Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/24/2005 Date Data Arrived at EDR: 12/21/2005 Date Made Active in Reports: 01/30/2006

Number of Days to Update: 40

Source: EPA

Telephone: 703-413-0223 Last EDR Contact: 03/21/2006

Next Scheduled EDR Contact: 06/19/2006 Data Release Frequency: Quarterly

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/29/2005 Date Data Arrived at EDR: 01/11/2006 Date Made Active in Reports: 02/21/2006

Number of Days to Update: 41

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 06/05/2006 Data Release Frequency: Quarterly

RCRA: Resource Conservation and Recovery Act Information

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/15/2005 Date Data Arrived at EDR: 12/28/2005 Date Made Active in Reports: 01/30/2006

Number of Days to Update: 33

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 03/01/2006

Next Scheduled EDR Contact: 04/24/2006 Data Release Frequency: Quarterly

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 01/12/2006 Date Made Active in Reports: 02/21/2006

Number of Days to Update: 40

Source: National Response Center, United States Coast Guard

Telephone: 202-260-2342 Last EDR Contact: 01/12/2006

Next Scheduled EDR Contact: 04/24/2006 Data Release Frequency: Annually

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 01/16/2006 Date Made Active in Reports: 02/21/2006

Number of Days to Update: 36

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 01/16/2006

Next Scheduled EDR Contact: 04/17/2006 Data Release Frequency: Annually

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/02/2005 Date Data Arrived at EDR: 08/12/2005 Date Made Active in Reports: 10/06/2005

Number of Days to Update: 55

Source: Environmental Protection Agency

Telephone: 703-603-8867 Last EDR Contact: 03/03/2006

Next Scheduled EDR Contact: 07/03/2006 Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/10/2005 Date Data Arrived at EDR: 02/11/2005 Date Made Active in Reports: 04/06/2005

Number of Days to Update: 54

Source: Environmental Protection Agency

Telephone: 703-603-8867 Last EDR Contact: 03/03/2006

Next Scheduled EDR Contact: 07/03/2006

Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2004 Date Data Arrived at EDR: 02/08/2005 Date Made Active in Reports: 08/04/2005

Number of Days to Update: 177

Source: USGS

Telephone: 703-692-8801 Last EDR Contact: 02/06/2006

Next Scheduled EDR Contact: 05/08/2006 Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/05/2005 Date Data Arrived at EDR: 01/19/2006 Date Made Active in Reports: 02/21/2006

Number of Days to Update: 33

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 01/19/2006

Next Scheduled EDR Contact: 04/03/2006

Data Release Frequency: Varies

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 11/29/2005 Date Data Arrived at EDR: 12/05/2005 Date Made Active in Reports: 01/30/2006

Number of Days to Update: 56

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 03/13/2006

Next Scheduled EDR Contact: 06/12/2006 Data Release Frequency: Semi-Annually

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/14/2004 Date Data Arrived at EDR: 02/15/2005 Date Made Active in Reports: 04/25/2005

Number of Days to Update: 69

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 03/13/2006

Next Scheduled EDR Contact: 04/24/2006 Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/07/2005 Date Data Arrived at EDR: 01/06/2006 Date Made Active in Reports: 02/21/2006

Number of Days to Update: 46

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 01/04/2006

Next Scheduled EDR Contact: 04/03/2006 Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 11/04/2005 Date Data Arrived at EDR: 11/28/2005 Date Made Active in Reports: 01/30/2006

Number of Days to Update: 63

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 03/20/2006

Next Scheduled EDR Contact: 06/19/2006 Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2003 Date Data Arrived at EDR: 07/13/2005 Date Made Active in Reports: 08/17/2005

Number of Days to Update: 35

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 03/21/2006

Next Scheduled EDR Contact: 06/19/2006 Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002 Date Data Arrived at EDR: 04/27/2004 Date Made Active in Reports: 05/21/2004

Number of Days to Update: 24

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 04/17/2006 Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the

Agency on a quarterly basis.

Date of Government Version: 01/17/2006 Date Data Arrived at EDR: 01/24/2006 Date Made Active in Reports: 02/27/2006

Number of Days to Update: 34

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 03/20/2006

Next Scheduled EDR Contact: 06/19/2006 Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Date of Government Version: 01/17/2006 Date Data Arrived at EDR: 01/24/2006 Date Made Active in Reports: 02/27/2006

Number of Days to Update: 34

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 03/20/2006

Next Scheduled EDR Contact: 06/19/2006 Data Release Frequency: Quarterly

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2003 Date Data Arrived at EDR: 01/03/2005 Date Made Active in Reports: 01/25/2005

Number of Days to Update: 22

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 04/17/2006 Data Release Frequency: Annually

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/27/2005 Date Data Arrived at EDR: 02/08/2006 Date Made Active in Reports: 02/27/2006

Number of Days to Update: 19

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 02/08/2006

Next Scheduled EDR Contact: 05/08/2006 Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/18/2005 Date Data Arrived at EDR: 10/31/2005 Date Made Active in Reports: 12/20/2005

Number of Days to Update: 50

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 02/08/2006

Next Scheduled EDR Contact: 04/03/2006 Data Release Frequency: Quarterly

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/08/2005 Date Data Arrived at EDR: 12/27/2005 Date Made Active in Reports: 01/30/2006

Number of Days to Update: 34

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 12/27/2005

Next Scheduled EDR Contact: 03/27/2006 Data Release Frequency: Semi-Annually

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 01/09/2006 Date Data Arrived at EDR: 01/16/2006 Date Made Active in Reports: 02/21/2006

Number of Days to Update: 36

Source: EPA Telephone: N/A

Last EDR Contact: 01/03/2006

Next Scheduled EDR Contact: 04/03/2006 Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 06/05/2006 Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2003 Date Data Arrived at EDR: 06/17/2005 Date Made Active in Reports: 08/04/2005

Number of Days to Update: 48

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 03/17/2006

Next Scheduled EDR Contact: 06/12/2006 Data Release Frequency: Biennially

STATE AND LOCAL RECORDS

SHWS: Contaminated Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 02/20/2006 Date Data Arrived at EDR: 02/21/2006 Date Made Active in Reports: 03/17/2006

Number of Days to Update: 24

Source: Department of Environmental Quality

Telephone: 517-373-9541 Last EDR Contact: 02/21/2006

Next Scheduled EDR Contact: 05/22/2006 Data Release Frequency: Semi-Annually

DEL SHWS: Delisted List of Contaminated Sites

Sites that have been delisted or deleted from the List of Contaminated Sites. The available documentation for the site does not support it's listing or the site no longer meets criteria specified in rules.

Date of Government Version: 02/27/2006 Date Data Arrived at EDR: 02/27/2006 Date Made Active in Reports: 03/17/2006

Number of Days to Update: 18

Source: Department of Environmental Quality

Telephone: 517-373-9541 Last EDR Contact: 02/20/2006

Next Scheduled EDR Contact: 05/22/2006 Data Release Frequency: Varies

SWF/LF: Solid Waste Facilities Database

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 11/01/2005 Date Data Arrived at EDR: 11/14/2005 Date Made Active in Reports: 12/20/2005

Number of Days to Update: 36

Source: Department of Environmental Quality

Telephone: 517-335-4035 Last EDR Contact: 01/23/2006

Next Scheduled EDR Contact: 04/24/2006 Data Release Frequency: Semi-Annually

HIST LF: Inactive Solid Waste Facilities

The database contains historical information and is no longer updated.

Date of Government Version: 03/01/1997 Date Data Arrived at EDR: 02/28/2003 Date Made Active in Reports: 03/06/2003

Number of Days to Update: 6

Source: Department of Environmental Quality

Telephone: 517-335-4034 Last EDR Contact: 02/28/2003 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

LUST: Leaking Underground Storage Tank Sites

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 12/13/2005 Date Data Arrived at EDR: 12/13/2005 Date Made Active in Reports: 01/23/2006

Number of Days to Update: 41

Source: Department of Environmental Quality

Telephone: 517-373-9837 Last EDR Contact: 03/15/2006

Next Scheduled EDR Contact: 06/12/2006 Data Release Frequency: Annually

UST: Underground Storage Tank Facility List

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 12/13/2005 Date Data Arrived at EDR: 12/13/2005 Date Made Active in Reports: 01/18/2006

Number of Days to Update: 36

Source: Department of Environmental Quality

Telephone: 517-373-8168 Last EDR Contact: 03/15/2006

Next Scheduled EDR Contact: 06/12/2006 Data Release Frequency: Annually

AST: Aboveground Tanks

Registered Aboveground Storage Tanks.

Date of Government Version: 12/13/2005 Date Data Arrived at EDR: 12/14/2005 Date Made Active in Reports: 01/16/2006

Number of Days to Update: 33

Source: Department of Environmental Quality

Telephone: 517-373-8168 Last EDR Contact: 03/13/2006

Next Scheduled EDR Contact: 06/12/2006 Data Release Frequency: No Update Planned

PEAS: Pollution Emergency Alerting System

Environmental pollution emergencies reported to the Department of Environmental Quality such as tanker accidents, pipeline breaks, and release of reportable quantities of hazardous substances.

Date of Government Version: 10/02/2005 Source: D

Date Data Arrived at EDR: 10/04/2005
Date Made Active in Reports: 11/11/2005

Number of Days to Update: 38

Source: Department of Environmental Quality

Telephone: 517-373-8427 Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 04/03/2006 Data Release Frequency: Quarterly

AUL: Engineering and Institutional Controls

A listing of sites with institutional and/or engineering controls in place.

Date of Government Version: 02/01/2006 Date Data Arrived at EDR: 02/15/2006 Date Made Active in Reports: 03/17/2006

Number of Days to Update: 30

Source: Department of Environmental Quality

Telephone: 517-373-4828 Last EDR Contact: 02/07/2006

Next Scheduled EDR Contact: 03/27/2006

Data Release Frequency: Varies

DRYCLEANERS: Drycleaning Establishments A listing of drycleaning facilities in Michigan.

Date of Government Version: 11/18/2005 Date Data Arrived at EDR: 12/16/2005 Date Made Active in Reports: 01/23/2006

Number of Days to Update: 38

Source: Department of Environmental Quality

Telephone: 517-335-4586 Last EDR Contact: 02/13/2006

Next Scheduled EDR Contact: 05/15/2006

Data Release Frequency: Varies

BROWNFIELDS: Brownfields and USTfield Site Database

All state funded Part 201 and 213 sites, as well as LUST sites that have been redeveloped by private entities using the BEA process. Be aware that this is not a list of all of the potential brownfield sites in Michigan.

Date of Government Version: 02/23/2006 Date Data Arrived at EDR: 02/27/2006 Date Made Active in Reports: 03/17/2006

Number of Days to Update: 18

Source: Department of Environmental Quality

Telephone: 517-373-4805 Last EDR Contact: 02/22/2006

Next Scheduled EDR Contact: 05/22/2006

Data Release Frequency: Varies

BEA: BASELINE ENVIRONMENTAL ASSESSMENT DATABASE

Date of Government Version: 12/16/2005 Date Data Arrived at EDR: 12/16/2005 Date Made Active in Reports: 01/23/2006

Number of Days to Update: 38

Source: DEPT. OF ENVIRONMENTAL QUALITY

Telephone: 517-373-9541 Last EDR Contact: 03/13/2006

Next Scheduled EDR Contact: 06/12/2006 Data Release Frequency: Semi-Annually

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater

than 640 acres.

Date of Government Version: 12/31/2004 Date Data Arrived at EDR: 02/08/2005 Date Made Active in Reports: 08/04/2005

Number of Days to Update: 177

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 02/06/2006

Next Scheduled EDR Contact: 05/08/2006 Data Release Frequency: Semi-Annually

INDIAN UST: Underground Storage Tanks on Indian Land

Date of Government Version: 12/02/2004 Date Data Arrived at EDR: 12/29/2004 Date Made Active in Reports: 02/04/2005

Number of Days to Update: 37

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 02/20/2006

Next Scheduled EDR Contact: 05/22/2006

Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are

comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Centers, Group & Family Homes

Source: Bureau of REgulatory Services

Telephone: 517-373-8300

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Natural Resources

Telephone: 517-241-2254

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

18 WELTS STREET 18 WELTS STREET MOUNT CLEMENS, MI 48043

TARGET PROPERTY COORDINATES

Latitude (North): 42.60170 - 42° 36' 6.1" Longitude (West): 82.8762 - 82° 52' 34.3"

Universal Tranverse Mercator: Zone 17 UTM X (Meters): 346083.3 UTM Y (Meters): 4718077.5

Elevation: 608 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 42082-E8 MOUNT CLEMENS WEST, MI

Most Recent Revision: 1980

East Map: 42082-E7 MOUNT CLEMENS EAST, MI

Most Recent Revision: 1980

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

FEMA Flood

Target Property County

Electronic Data

MACOMB, MI

YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property:

2601240001B

Additional Panels in search area:

2601210010D 2601230005C

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property MOUNT CLEMENS WEST NWI Electronic Data Coverage Not Available

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

LOCATION GENERAL DIRECTION

MAP ID FROM TP GROUNDWATER FLOW

Not Reported

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION

Era: Paleozoic Category: Stratified Sequence

System: Devonian Series: Upper Devonian

Code: D3 (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: COHOCTAH

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be

drained and are classified.

Soil Drainage Class: Poorly. Soils may have a saturated zone, a layer of low hydraulic

conductivity, or seepage. Depth to water table is less than 1 foot.

Hydric Status: Soil meets the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: HIGH

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

Soil Layer Information								
	Boundary			Classification				
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)	
1	0 inches	13 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 6.00 Min: 2.00	Max: 7.80 Min: 6.10	
2	13 inches	40 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 6.00 Min: 2.00	Max: 8.40 Min: 6.10	
3	40 inches	60 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 6.00 Min: 2.00	Max: 8.40 Min: 6.10	

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam

muck

Surficial Soil Types: silt loam

muck

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: stratified

sandy loam muck sand

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

FEDERAL USGS WELL INFORMATION

MAP ID WELL ID FROM TP

No Wells Found

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

LOCATION MAP ID WELL ID FROM TP

non


Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID WELL ID FROM TP

No Wells Found

PHYSICAL SETTING SOURCE MAP - 1642312.30s



SITE NAME: 18 Welts Street ADDRESS: 18 Welts Street

Mount Clemens MI 48043 LAT/LONG: 42.6017 / 82.8762 CLIENT: Atwell Hicks
CONTACT: David Huey
INQUIRY#: 1642312.30s
DATE: March 27, 2006

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance

Elevation Database EDR ID Number

SSW FRDS PWS MI0004510

1/4 - 1/2 Mile Lower

PWS ID: MI0004510 PWS Status: Not Reported Date Initiated: Not Reported Date DeactivatedNot Reported

PWS Name: MOUNT CLEMENS

CITY OF MOUNT CLEMENS ONE CROCKER BOULEVARD MOUNT CLEMENS, MI 48043

Source: Surface water

Treatment Objective: DISINFECTION Process: GASEOUS CHLORINATION, POST

Treatment Objective: PARTICULATE REMOVAL Process: COAGULATION

Treatment Objective: SOFTENING (HARDNESS REMOVAL) Process: LIME - SODA ASH ADDITION

Treatment Objective: OTHER Process: FLUORIDATION

Addressee / Facility: Not Reported

Facility Latitude: 42 35 49 Facility Longitude082 52 41

City Served: Not Reported

Treatment Class: Mixed (treated and untreated) Population: 18405

PWS currently has or had major violation(s) or enforcement: Yes

Violations information not reported.

ENFORCEMENT INFORMATION:

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

Compliance Period: 2000-10-01 - 2000-12-31 Analytical Value: 0
Violation ID: 0110001 Enforcement ID: 0110011

Enforcement Date: 2001-02-01 Enf. Action: State Violation/Reminder Notice

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

Compliance Period: 2000-10-01 - 2000-12-31 Analytical Value: 0
Violation ID: 0110001 Enforcement ID: 0110011

Enforcement Date: 2001-02-01 Enf. Action: State Violation/Reminder Notice

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

Compliance Period: 2000-10-01 - 2000-12-31 Analytical Value: 0
Violation ID: 0140009 Enforcement ID: 0110012

Enforcement Date: 2001-02-01 Enf. Action: State Public Notif Requested

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

Compliance Period: 2000-10-01 - 2000-12-31 Analytical Value: 0
Violation ID: 0140009 Enforcement ID: 0110012

Enforcement Date: 2001-02-01 Enf. Action: State Public Notif Requested

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

 Compliance Period:
 2000-10-01 - 2000-12-31
 Analytical Value:
 0

 Violation ID:
 0340010
 Enforcement ID:
 0120013

Enforcement Date: 2001-04-01 Enf. Action: State Public Notif Received

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

 Compliance Period:
 2000-10-01 - 2000-12-31
 Analytical Value:
 0

 Violation ID:
 0340010
 Enforcement ID:
 0120013

Enforcement Date: 2001-04-01 Enf. Action: State Public Notif Received

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

Compliance Period: 2000-10-01 - 2000-12-31 Analytical Value: 0
Violation ID: 0340010 Enforcement ID: 0120014

Enforcement Date: 2001-02-12 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS
Violation Type: Monitoring, Regular

Contaminant: TTHM

Compliance Period: 2000-10-01 - 2000-12-31 Analytical Value: 0
Violation ID: 0340010 Enforcement ID: 0120014

Enforcement Date: 2001-02-12 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: CCR Complete Failure to Report

Contaminant: 7000

Compliance Period: 2000-07-01 - 2001-07-31 Analytical Value: 0

Violation ID: 0340010 Enforcement ID: 0140091

Enforcement Date: 2001-07-31 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: CCR Complete Failure to Report

Contaminant: 7000

Compliance Period: 2000-07-01 - 2001-07-31 Analytical Value: 0 Violation ID: 0340010 Enforcement ID: 0140091

Enforcement Date: 2001-07-31 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 2003-06-01 - 2003-06-30 Analytical Value: 0
Violation ID: 0340010 Enforcement ID: 0340092

Enforcement Date: 2003-08-05 Enf. Action: State Violation/Reminder Notice

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

 Compliance Period:
 2003-06-01 - 2003-06-30
 Analytical Value:
 0

 Violation ID:
 0340010
 Enforcement ID:
 0340092

Enforcement Date: 2003-08-05 Enf. Action: State Violation/Reminder Notice

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 2003-06-01 - 2003-06-30 Analytical Value: 0 Violation ID: 0340010 Enforcement ID: 03

Enforcement Date: 2003-08-05 Enf. Action: State Public Notif Requested

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

 Compliance Period:
 2003-06-01 - 2003-06-30
 Analytical Value:
 0

 Violation ID:
 0340010
 Enforcement ID:
 0340093

Enforcement Date: 2003-08-05 Enf. Action: State Public Notif Requested

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

 Compliance Period:
 2003-06-01 - 2003-06-30
 Analytical Value:
 0

 Violation ID:
 0340010
 Enforcement ID:
 0340094

Enforcement Date: 2003-08-05 Enf. Action: State Public Notif Received

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 101

Compliance Period: 2003-06-01 - 2003-06-30 Analytical Value: 0
Violation ID: 0340010 Enforcement ID: 0340094

Enforcement Date: 2003-08-05 Enf. Action: State Public Notif Received

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 2003-06-01 - 2003-06-30 Analytical Value: 0
Violation ID: 0340010 Enforcement ID: 0340095

Enforcement Date: 2003-08-05 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

 Compliance Period:
 2003-06-01 - 2003-06-30
 Analytical Value:
 0

 Violation ID:
 0340010
 Enforcement ID:
 0340095

Enforcement Date: 2003-08-05 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: 3 Contaminant: TTHM

Compliance Period: 10/1/2000 0:00:00 - 12/31/2000 0:00:00 Analytical Value:

Violation ID: 1000101 Enforcement ID: Not Reported

Enforcement Date: 2/1/2001 0:00:00 Enf. Action: State Violation/Reminder Notice

System Name: MOUNT CLEMENS

Violation Type: 3 Contaminant: TTHM

Compliance Period: 10/1/2000 0:00:00 - 12/31/2000 0:00:00 Analytical Value: 0

Violation ID: 1000101 Enforcement ID: Not Reported

Enforcement Date: 2/1/2001 0:00:00 Enf. Action: State Public Notif Requested

System Name: MOUNT CLEMENS

Violation Type: 3 Contaminant: TT

Contaminant: TTHM
Compliance Period: 10/1/2000 0:00:

Compliance Period: 10/1/2000 0:00:00 - 12/31/2000 0:00:00 Analytical Value: 0

Violation ID: 1000101 Enforcement ID: Not Reported

Enforcement Date: 2/12/2001 0:00:00 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: 3 Contaminant: TTHM

Compliance Period: 10/1/2000 0:00:00 - 12/31/2000 0:00:00 Analytical Value:

Violation ID: 1000101 Enforcement ID: Not Reported

Enforcement Date: 4/1/2001 0:00:00 Enf. Action: State Public Notif Received

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name: MOUNT CLEMENS

Violation Type: CCR Complete Failure to Report

Contaminant: 7000

Compliance Period: 7/1/2000 0:00:00 - 7/31/2001 0:00:00 Analytical Value:

Violation ID: 4000901 Enforcement ID: Not Reported

Enforcement Date: 7/31/2001 0:00:00 Enf. Action: State Compliance Achieved

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 6/1/2003 0:00:00 - 6/30/2003 0:00:00 Analytical Value: 0

Violation ID: 4001003 Enforcement ID: Not Reported

Enforcement Date: 8/5/2003 0:00:00 Enf. Action: State Violation/Reminder Notice

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 6/1/2003 0:00:00 - 6/30/2003 0:00:00 Analytical Value: 0

Violation ID: 4001003 Enforcement ID: Not Reported

Enforcement Date: 8/5/2003 0:00:00 Enf. Action: State Public Notif Requested

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 6/1/2003 0:00:00 - 6/30/2003 0:00:00 Analytical Value: 0

Violation ID: 4001003 Enforcement ID: Not Reported

Enforcement Date: 8/5/2003 0:00:00 Enf. Action: State Public Notif Received

System Name: MOUNT CLEMENS

Violation Type: Monitoring and Reporting Stage 1

Contaminant: 1011

Compliance Period: 6/1/2003 0:00:00 - 6/30/2003 0:00:00 Analytical Value: 0

Violation ID: 4001003 Enforcement ID: Not Reported

Enforcement Date: 8/5/2003 0:00:00 Enf. Action: State Compliance Achieved

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: MI Radon

Radon Test Results

Test Type	Zip	Floor	Stop Date	Can 1 Res pCi/L	Can 1 Error	Can 2 Res pCi/L	Can 2 Error
	_						
Random	48043	0	4/15/87	0.6	45.9%		
Random	48043	0	4/15/87	0.6	40.9%		
Random	48043	0	1/13/88	1.8	10.9%		
Geographic	48043	0	3/28/88	3.1	7.7%		

State Database: MI Radon

Radon Test Results

Zip	Less than sign	Pci/L
_		
48043		0.90
48043		0.90
48043		1.70
48043		1.00
48043		0.80
48043		1.80
48043		0.70
48043		0.30
48043		3.40
48043		0.50
48043		1.60
48043		1.40
48043		1.10
48043		3.50
48043		0.90
48043		0.50
48043		2.10
48043		0.50
48043		8.80
48043		3.90
48043		1.70
48043		2.20
48043		1.90
48043		3.60
48043		0.80
48043		4.00
48043		0.80
48043	<	0.30
48043	<	0.30
48043		1.50

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for MACOMB County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 48043

Number of sites tested: 3

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	1.000 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Natural Resources

Telephone: 517-241-2254

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Data

Source: Department of Environmental Quality, Drinking Water and Radiological Protection Division

Telephone: 517-335-9218

OTHER STATE DATABASE INFORMATION

Michigan Oil and Gas Wells

Source: Michigan Department of Natural Resources

Locations of oil and gas wells are compiled from permit records on file at the Geological Survey Division (GSD), Michigan Department of Natural Resources.

RADON

State Database: MI Radon

Source: Department of Environmental Quality

Telephone: 517-335-9551 Radon Test Results

Michigan Radon Test Results

Source: Department of Environmental Quality

Telephone: 517-335-8037

These results are from test kits distributed by the local health departments and used by

Michigan residents. There is no way of knowing whether the devices were used properly, whether there are duplicates (or repeat verification) test (i.e., more than one sample per home), etc.

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at

private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix G:

Interviews

ATWELL-HICKS RECORD OF INTERVIEW

Date: MARCH 31, 2006	Job Number: 300132.10
Conducted by: DAVID HUEY	Owner/Client: MCBRA
Talked with: wolfeand wenziawe	Of: MEW MOTORS
Location of interview: On-site	Telephone Municipal Offices
Main subject of interview MR, WENZLA	CAW 3H TAHT DETASIGN SW,
THE OWNER OF THE SUBJECT	SITE AS WELL AS SEVERAL
ADJACENT PROPERTIES. HE WE	ORMIED ATWELL THAT THE
MITCHELL BUICK DEALERSHIP W	AS HISTORICALLY IN THE SUBJECT
BUILDING, MR. WENZLAWE CON	FIRMED A HISTORICAL UST
DEPICTED ON A SANBORN A	TOW OID TUB (FELLA) PAN
KNOW THE REMOVAL OR INST	TALLATION INFORMATION.
	,

Appendix H: Miscellaneous Information

03/23/2006 10:08 AM REAL ESTATE SUMMARY SHEET Parcel: 05-11-11-477-007 Owner's Name: WENZLAWE WOLFGANG H ID#: 50-55-023-014-00 Property Address: 18 WELTS ST Gov. Unit: 05 CITY OF MT. CLEMSchool: 50160 District 50160 Cur. Class: 201 Neighborhood: 023 ASSESSORS PLAT # 23 Prev. Class: 201 Liber/Page: Created: / / Split: 1 1 Active Legal Description: Mailing Address: ASSESSORS PLAT NO 23 ALL OF LOT 14; S 239165 CYPRESS FT LOT 15; ALL OF LOT 1, BLOCK 1 OF **CLINTON TWP MI 48036** WELTS ADDITION EXC; BEG AT NW COR LOT 1; TH S 02 DEG 54' 19" W 62.0 FT; TH S 37 DEG 01' 05" E 67.0 FT TO SWLY COR LOT 1; TH NELY 4.4 FT ALG SELY LINE LOT 1; TH N 37 DEG 01' 05" W 17.09 FT TO A CURVE TO RIGHT HAVING A RADIUS OF 152.0 FT; TH NLY ALG ARC OF SD CURVE 105.91 FT TO PT BEG. ALSO INC 1/2 VAC.ALLEY LYING ADJ. TO THE SLY 86.15 FT LOT 14. Most Recent Sale Information Sold on 07/20/1995 for 145,000 by . Terms of Sale: WARRANTY DEED Liber/Page: **Physical Property Characteristics** 2006 S.E.V.: 104,000 Taxable: 44,600 Lot Dimen: 2005 S.E.V.: 104,000 Taxable: 43,200 Acreage: 0.39 Land Value: 44,800 Frontage: 112.0 Zonina: R1A Average Depth: 150.0 Land Impr. Value: PRE: 0.000% Improvement Data # of Residential Buildings: 0 # of Aq. Buildings: 0

Year Built: 0

Occupancy: Single Family

Class: D Style: RANCH

Exterior:

% Good (Physical): 0

Heating System: Forced Air w/o Ducts

Electric - Amps Service: 0

of Bedrooms: 0

Full Baths: 0 Half Baths: 0

Floor Area: Ground Area: Garage Area:

Basement Area: **Basement Walls:** Est. TCV:

0 Remodeled: 0 Built: Overall Building Height: 0

of Commercial Buildings: 1

Type: Garage, Service/Repair

Floor Area: 6,750

Est. TCV:

Desc:

Class: C

Quality: Good

Sale Price/Floor Area: 21.48

Est. TCV: 163,140

Cmts:

SKETCH/AREA TABLE ADDENDUM

File No 05-11-11-477-007 Property Address 18 WELTS ST City MOUNT CLEMENS County Macomb State MI Zip 48043 Owner WENZLAWE WOLFGANG H Client 00999 Appraiser Name 112.2' 112,2' 47.8 Land 7684.9 Land **MPROVEMENTS SKETCH** Comments: Land Scale: 1 = 50 Beginning at a point of the Tract described by Metes and Bounds as follows: THENCE Due North, a distance of 20.0 Feet; THENCE Due East, a distance of 112.2 Feet; THENCE Due South, a distance of 20.0 Feet; THENCE South 74° 13' 9" East, a distance of 47.8 Feet; THENCE South 16° 5' 59" West, a distance of 178.5 Feet; THENCE North 33° 51' 49" West, a distance of 91.5 Feet;
THENCE North 26° 40' 14" East, a distance of 121.4 Feet; THENCE Due West, a distance of 112.2 Feet to point of beginning; Said tract containing 0.0 acres (0.0 sqft.) of land, more or less. Perimeter = 0.0 Feet No significant error of closure.

Beginning at a point of the Tract described by Metes and Bounds as follows:

SKETCH/AREA TABLE ADDENDUM

File No 05-11-11-477-007

Property Address 18 WELTS ST	County Macomb	State MI	Zip 48043
City MOUNT CLEMENS Owner WENZLAWE WOLFGANG H Client 00999	County wacomb	State IVII	LIP TOUTO
Client 00999		arrayers a construyer of the construction of t	
Appraiser Name			
Appraise Name			
		75.0'	
r			
		16' HGT	
		16' HGT	
90.0°			
0.00		First Floor Slab 30	.0.09
်		6750.0	
		20/110	ar.
		43 20' HC	J1
			and the same of th
		75.0'	
Comments:			
Commond.			
2400 (1990) (199	**************************************	R0000000000000000000000000000000000000	
			Scale: 1 = 20
ADEA CAI	CULATIONS SUMMAR	₹Y	
	CULATIONS SUMMAF		
Code Description	Factor Net Size	Perimeter Net Totals	
		Perimeter Net Totals	
Code Description	Factor Net Size	Perimeter Net Totals	
Code Description	Factor Net Size	Perimeter Net Totals	
Code Description	Factor Net Size	Perimeter Net Totals	

Form 3 81ZE Ę STREET ADDRESS NAME, ADDRESS AND PROPERTY DESCRIPTION EXC; BEG AT NW COR LOT 1; TH SO2° 54'19"W 62.0 FT; TH S37° 01'05"E OF LOT 1, ALL OF LOT 14; S20 FT LOT 15; ALL ASSESSORS PLAT DETRACTING INFLUENCE ENHANCING INFLUENCE LEVEL HIGH **₩** SWAMPY ROCKY & DEPTH CLASS PRONT LOTS MOUNT CLEMENS, TOD N. GHATTOT Lee Prg. Co. PRICE CNIT ACRES @ LAND SKETCH BELOW BLOCK 1 of WELTS ADDITIO SWAMPY FARM MOA LEVEL WOODED ACREAGE VACANT TOTAL LAND FACTOR DEFTH NO 23 BLACK TOP DIRT OIL TREAT BRICK **ASPHALT** CONCRETE GRAV. ST. FACTOR CORNER RESTRICTIONS IMPROVEMENTS MICH. FT. PR. FRONT هد TAX EXEMPT GAS COMB. STORM " SAN. SEWER CURB & G. SIDEWALK ELECTY. WATER VALUE · 017-50 202 Also SEE YEAR 0 8 CUBIC FT. SIZES BUILDING DIMENSIONS FLOOR TOTAL BLDGS. BUILDING APPRAISAL 023-011-00 NO. STYS. 3718 PRICE CNIT PRICE SPECIAL AREA GARAGE HEIGHT NEW COST NEW COST PRICE 011-50 36600 CNIT 35,200 37700 300 53,000 39600 CUBE AREA 00200 23200 1600 ₩ ₩ ₩ 40 1900 GOOD | FAIR | BAD CONDITION
GOOD | FAIR | BAD NEW COST % CONDITION % CONDITION 014, 016 M GARAGE
GAS STATION PART FLOOR % COND. STORE & FLAT OFFICE BLDG CIN BLK PILES CONCRETE 3-FLAT 2-FLAT STONE FOUNDATION TERRACE HOTEL STORE APARTMENT 4-FLAT FINISHED CEMENT FLR THEATRE PACTORY ASBEST SLATE TILE TILE BRICK VENEER BRICK CEM BLK WOOD BRICK VENEER CIN BLK ROLL ROOFING ASPHALT SHGLS PERMASTONE CON OR CIN BLK STUCCO INSULBRICK **ASBES SHGLS** WOOD SHGLS EXT. WALLS METAL ROOFING STONE ALUM SIDING WOOD SIDING BUILDING SKETCH BELOW FLOORING B123 REINF TILE ATT SIRS INT. FINISH PLASTERED SHED MANSARD GAMBREL DECORATED MARBLE CEMENT HARDWD PINE SISIOF GOOM HARDWOOD DIRT MARBLE & TILE METAL BAR JOISTS **FLOORS** TILING BATHROOM FLR WSC OIL FURNACE VAPOR UTILITY ROOM TOILET ROOM
EXTRA TOILET PLUMBING SPACE HEATERS HOT WATER STEAM HOT AIR PIPELESS TOILET FLR AUTO HOT WTR STD HOT WATER KITCHEN SINK BATHROOM NONE GAS FURNACE STOVES HEATING TOILET WSCT FIN BASE RMS FIN. ATTIC RMS HAND ELV FIRE ESCAPES AGE INCINERATORS FIRE PLACES SKYLIGHTS VAC CLEAN SYS R-AWAY BEDS REFRIG CABINETS REMODELED DATE COMPL RMS APTS

) 821 \$ 7VE/ 71 '811 H2W MORYON All Park (G) 11 3 1 1 181 181 51 0116 FDW VSV FOW 773421111 o, 91 NOLYOW By Hal we KALD NOTAOM GLI GOW VISHOLVII

Property Detail Report

For Property Located At

RealQuest.com

18 WELTS ST, MOUNT CLEMENS MI 48043-1737

Owner Information: Owner Name: WENZLAWE WOLFGANG H Mailing Address: 39165 CYPRESS ST, CLINTON TWP MI 48036-1819 C082 Phone Number: Vesting Codes: Location Information: ASSESSORS PLAT NO 23 ALL OF LOT 14; S 20 FT LOT 15; ALL OF LOT 1, Legal Description: BLOCK 1 OF WELTS ADDITION EXC; BEG AT NW COR LOT 1; TH S 02 DEG 54' 19" W 62.0 FT: TH S 37 DEG 01' 05" E 67.0 FT TO SWLY COR LOT 1: TH NELY 4.4 FT ALG SELY LINE LOT 1; TH N 37 DEG 01' 05" W17.09 FT TO A CURVE TO RIGHT HAVING A RADIUS OF 152.0 FT; TH NLY ALG ARC OF SD CURVE 105.91 FT TO PT BEG. ALSO INC 1/2 VAC.ALLEY LYING ADJ. TO THE SLY 86.15 FT LOT 14. County: MACOMB, MI APN: 11-11-477-007 Alternate APN: Census Tract / Block: 2451.00 / 2 1111477007 **AP23MT** Township-Range-Sect: Subdivision: **CLEMENS** Map Reference: Legal Book/Page: Legal Lot: Tract #: **MOUNT CLEMENS** School District: Legal Block: COMM S Market Area: 03191 Munic/Township: **MOUNT CLEMENS** Neighbor Code: Owner Transfer Information: Recording/Sale Date: Deed Type: Sale Price: 1st Mtg Document #: Document #: Last Market Sale Information: Recording/Sale Date: 08/24/1995 / 1st Mtg Amount/Type: Sale Price: \$145,000 1st Mtg Int. Rate/Type: Sale Type: 1st Mtg Document #: Document #: 9649-573 2nd Mtg Amount/Type: Deed Type: DEED (REG) 2nd Mtg Int. Rate/Type: Price Per SqFt: Transfer Document #: \$21.48 Multi/Split Sale: New Construction: MULTI Title Company: Lender: Seller Name: **TSUDIS HELEN Prior Sale Information:** Prior Rec/Sale Date: Prior Lender: Prior Sale Price: Prior 1st Mtg Amt/Type: Prior 1st Mtg Rate/Type: Prior Doc Number: Prior Deed Type: **Property Characteristics:** Gross Area: Parking Type: Construction: 6,750 Living Area: 6.750 Garage Area: Heat Type: CONCRETE Tot Adj Area: Garage Capacity: Exterior wall: **BLOCK** Above Grade: Parking Spaces: Porch Type: Basement Area: Total Rooms: Patio Type: Finish Bsmnt Area: Pool: Bedrooms: Air Cond: Bath(F/H): Basement Type: Roof Type: Year Built / Eff: Style: Fireplace: Foundation: Quality: # of Stories: 1.00 Roof Material: Condition: Other Improvements: Site Information: **BUSINESS** Zoning: Acres: 0.98 County Use: PLATTED **IMPROVED** Flood Zone: Lot Area: 42,732 State Use: CM


Flood Panel: Flood Panel Date: Land Use: Tax Information:	COMMERCIA (NEC)	Lot Width/Depth: Res/Comm Units: L	240 x 178 /	Site Influence: Sewer Type: Water Type:	handilla involved or consistence of the constraints
Total Value:	\$104,000	Assessed Year:	2005	Property Tax:	\$2,855.77
Land Value:		Improve %:		Tax Area:	MOUNT CLEM
Improvement Value: Total Taxable Value:	\$43,200	Tax Year:	2005	Tax Exemption:	HOMESTEAD

Street Map Plus Report

For Property Located At

RealQuest.com

18 WELTS ST, MOUNT CLEMENS MI 48043-1737





FAX COVER LETTER

If all pages are not clearly received, please call 810 225 6000 as soon as possible.

To	Cole Shoemaker			
Company	Macomb County Department of Environmental Sciences			
Fax Number	586-469-6534	Date	March 28, 2006	
From	David Huey / Louis Stultz			
Subject	Freedom of Information Act Request			
Job Number	300932.40 #	of Pages	1	
		Including This	Cover Sheet)	

Remarks

I would like to review your County Department of Environmental Services files for the following sites in regards to Septic fields, water well records, USTs, ASTs, Hazardous Material Spills, or any other environmental concerns:

- 132 North Bound Gratiot, Mount Clemens, Macomb county, Michigan
- 268 North Bound Gratiot, Mount Clemens, Macomb county, Michigan
- 357-363 North Bound Gratiot, Mount Clemens, Macomb county, Michigan
- 290 Cass, Mount Clemens, Macomb county, Michigan
- 100 North River Road, Mount Clemens, Macomb county, Michigan
- 42760 Walnut Street, Mount Clemens, Macomb county, Michigan
- 215 North Avenue, Mount Clemens, Macomb county, Michigan
- 18 Welts Street, Mount Clemens, Macomb county, Michigan

If no records are available, please advise accordingly.

Thank you for your cooperation in this matter.

Sincerely, ATWELL-HICKS, LLC

David Huey / Louis Stultz 810-225-6000

X:\Environmental\FOIA forms\Health Dept\FOIA Macomb CEHD Fax.doc

ATWELL-HICKS

7927 Nemco Way Suite 100 Brighton, Michigan 48116 810 225 6000 • FAX: 810 225 9600

FAX COVER LETTER

If all pages are not clearly received, please call 810 225 6000 as soon as possible.

To	Fire Inspector Jeffrey Williams			
ATTENTION	Mount Clemens Fire Department			
Fax Number	586-469-6971	Date	March 28, 2006	
From	David Huey			
Subject	Freedom of Inform	ation Act Requ	est	
Job Number	#300932.40	Number of Pag	ges 1	
		(Including This Cover Sheet)		

Remarks

Per the Freedom of Information Act, we would like to obtain a copy of your historical and current Fire Department files for the following site(s) in regards to USTs, ASTs, bulk storage of petroleum products, hazardous material spills, or any other environmental concerns, if available. If no such records are available, please advise accordingly.

- 132 North Bound Gratiot, Mount Clemens, Macomb county, Michigan
- 268 North Bound Gratiot, Mount Clemens, Macomb county, Michigan
- 357-363 North Bound Gratiot, Mount Clemens, Macomb county, Michigan
- 290 Cass, Mount Clemens, Macomb county, Michigan
- 100 North River Road, Mount Clemens, Macomb county, Michigan
- 42760 Walnut Street, Mount Clemens, Macomb county, Michigan
- 215 North Avenue, Mount Clemens, Macomb county, Michigan
- 18 Welts Street, Mount Clemens, Macomb county, Michigan

We thank you for your timely cooperation in this matter.

Sincerely, ATWELL-HICKS

David Huey 810-299-3394

X:\Environmental\FOIA forms\Fire Dept\FOIA Fire Dept.doc



7927 Nemco Way Suite 100 Brighton, MI 48116 810.225.6000 • FAX: 810.225.9600

FAX COVER LETTER

If all pages are not clearly received, please call 810.225.6000 as soon as possible.

To	Lorie Coburn or Current FOIA officer				
Company	MDEQ Southeast Michigan District Office - WARREN office				
Fax Number	586-753-3801	Date	April 12, 2006		
	(phone: 753-3804)				
From	David Huey				
Subject	File Review Request	A 12 TO 10 10 10 10 10 10 10 10 10 10 10 10 10			
Job Number	300932.40	Number of Page	es 1		
		(Including This Cover Sheet)			

Remarks

I would like to make an appointment to review the files, if any, for the following sites:

42760 Wanut, Mount Clemens, MI, (Parcel ID 05-11-12-403-011) 18 Welts Street, Mount Clemens, MI (Parcel ID 05-11-11-477-007) Mount Clemens City Landfill, North River Road, Mount Clemens, MI

I am interested in all files, however, I would like to assure that information pertaining to current/former dumping or land filling activities on or near the above addresses is reviewed. Please forward this FOIA request to any appropriate departments.

Sincerely,

ATWELL-HICKS

David Huey 810-299-3394

dhuey@atwell-hicks.com

X:\Environmental\FOIA forms\MDEQ\FOIA Southeast Michigan District office MDEQ.doc



STATE OF MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY SOUTHEAST MICHIGAN DISTRICT OFFICE



April 12, 2006

Mr. David Huey Atwell Hicks 7927 Nemco Way Suite 100 Brighton, MI 48116

Dear Mr. Huey:

SUBJECT: Request for Disclosure of Official Files from Remediation & Redevelopment Division

1. 301 Toguest dated April 12, 2006 to examine or receive a copy of the following documents is DENIED.

Description of documents being denied: 42760 Walnut,18 Welts, Mount Clemens City Landfill

Reason for **DENIAL**: To the best of this public body's knowledge and belief, the public record does not exist under the name given by the requester, or by another name reasonably known to the public body.

Authority for **DENIAL:** Public Act No. 442 of 1976, as amended, Section 5(4)(b).

Act 442, PA 1976, The Freedom of Information Act, gives you the right to appeal this decision. The section of the Act describing the appeal process is printed below for your information.

- "Sec. 10.(1) If a public body makes a final determination to deny all or a portion of a request, the requesting person may do 1 of the following at his or her option:
- (a) submit to the head of the public body a written appeal that specifically states the word "appeal" and identifies the reason or reasons for reversal of the denial.
- (b) commence an action in the circuit court to compel the public body's disclosure of the public records within 180 days after a public body's final determination to deny a request.
- (2) Within 10 days after receiving a written appeal pursuant to subsection (1)(a), the head of a public body shall do 1 of the following:
 - (a) reverse the disclosure denial.
 - (b) issue a written notice to the requesting person upholding the disclosure denial.
- (c) reverse the disclosure denial in part and issue a written notice to the requesting person upholding the disclosure denial in part.
- (d) under unusual circumstances, issue a notice extending for not more than 10 business days the period during which the head of the public body shall respond to the written appeal. The head of a public body shall not issue more than 1 notice of extension for a particular written appeal.

- (3) A board or commission that is the head of a public body is not considered to have received a written appeal under subsection (2) until the first regularly scheduled meeting of that board or commission following submission of the written appeal under subsection (1)(a). If the head of the public body fails to respond to a written appeal pursuant to subsection (2), or if the head of the public body upholds all or a portion of the disclosure denial that is the subject of the written appeal, the requesting person may seek judicial review of the nondisclosure by commencing an action in circuit court under subsection (1)(b).
- (4) In an action commenced under subsection(1)(b), a court that determines a public record is not exempt from disclosure shall order the public body to cease withholding or to produce all or a portion of a public record wrongfully withheld, regardless of the location of the public record. The circuit court for the county in which the complainant resides or has his principal place of business, or the circuit court for the county in which the public record or an office of the public body is located has venue over the action. The court shall determine the matter de novo and the burden is on the public body to sustain its denial. The court, on its own motion, may view the public court may be punished as contempt of court.
- (5) In action commenced under this section and an appeal from an action commenced under this section shall be assigned for hearing and trial or for argument at the earliest practicable date and expedited in every way.
- (6) If a person asserting the right to inspect, copy, or receive a copy of all or a portion of a public record prevails in an action commenced under this section, the court shall award reasonable attorneys' fees, costs and disbursements. If the person or public body prevails in part, the court may, in its discretion, award all or an appropriate portion of reasonable attorneys' fees, costs, and disbursement. The award shall be assessed against the public body liable for damages under subsection (7).
- (7) If the circuit court determines in an action commenced under this section that the public body has arbitrarily and capriciously violated this act by refusal or delay in disclosing or providing copies of a public record, the court shall award, in addition to any action or compensatory damages, punitive damages in the amount of \$500.00 to the person seeking the right to inspect or receive a copy of a public record. The damages shall not be assessed against an individual, but shall be assessed against the next succeeding public body that is not an individual and that kept or maintained the public record as part of its public function."

If you have any questions regarding this letter please contact **Lorie Coburn**, the Freedom of Information coordinator for the Remediation & Redevelopment Division **201** sites, 586 753-3804 or 586 753-3801 fax.

Sinc**ere**ly,

Oladipo Óvinsan

Southeast Michigan District Supervisor Remediation & Redevelopment Division

EQP1048a (7/2003)

Auto Leak Reports present?

Yes

Yes

Evidence of UST upgrades?

Yes

Evidence of spills or leaks around pipes or service pumps?

Location:

present?

Additional Notes:

UST monitoring system

Monitoring records present?

Yes

Unknown

Other:

No

Do they plan to renovate or demolish the building(s)?

Landfill or waste treatment storage or disposal facilities

Commercial printing or other industrial uses

		scription of the Gener djacent property addresses/r		
Description:	North	East	South	West
Residential	ΝΟΠΠ	East	South	west
residential				
Commercial				
	•			
Industrial				
Agricultural				
Undeveloped				
				V
Lake or Pond				
River or stream				
School, daycare or				
playground				
Animal refuge, park or				
nature area				
Notes:	A STATE OF THE STA			
	Conclusio	n (Inspector's Remark	e and Commonts)	
D-advertise area toward?	Outside toured?	Alla Asiala Mallaris ar Calpas ring taris fill or a calvaring cost at 5 tals at 15 to 15 tal	Off site area toured?	I Complete Assess
Production area toured? Yes (No)	Yes (No)	Property perimeter toured? Yes No	(es) No	Complete Access? Yes (No)
Description:	Good	Acceptable	Poor	Comments
Overall Building Condition				
Overall Site Condition	A CONTRACTOR OF THE PROPERTY O			
Overall Site Operations				
Overall Housekeeping		1		
		Recommendation		
Potential REC's observed?	Yes No		UST Testing Needed?	Yes No N/A
Folential NEC 8 Observed !			1	
Asbestos Inspection Need		V A)	PCB Equipment Testing Ne	eeded? Yes (No) N/A
Asbestos Inspection Need	ed? Yes No (VA)		
Asbestos Inspection Need	ed? Yes No (VA)	PCB Equipment Testing New Wetland Survey Needed?	Yes No N/A
Asbestos Inspection Need	ed? Yes No (<u></u>		
Asbestos Inspection Need	ed? Yes No (<u></u>		
Asbestos Inspection Need	ed? Yes No (<u></u>		
Asbestos Inspection Need	ed? Yes No (<u></u>		
Asbestos Inspection Need	ed? Yes No (<u></u>		
Asbestos Inspection Need	ed? Yes No (<u></u>		
Asbestos Inspection Need	ed? Yes No (<u></u>		